

# BOCEN Bocen Display Technology Co., Ltd.

Tel: +86-0755-23145782 E-mail: info@bocentech.com Website: www.bocentech.com

Address: 603 Esun Tech Building, No.22 Jia'an South Road, Bao'an District, 518101 Shenzhen, China.

Note: This document is forbidden to show to the third party without the authorization of Bocen Display Technology Co., Ltd.

## STANDARD LCM (OLED) of BOCEN DISPLAY

Update: 2020/09/07

No.	Size	Bocen Part Number	Resolution	Panel Size (mm)	Viewing Area (mm)	Active Area (mm)	PINs	Color	Porwer Supply Voltage	Driving Voltage	Operating Temperature	Storage Temperature	Drive IC	Interface
1	0.42"	BO7240-01-SWG16P042	72x40	12.00x11.00x1.23	10.196x6.18	9.196x5.18	16	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-WIRE SPI /I2C
		BO7240-03-SWG16P042												
		BO7240-07-SWG16P042												
		BO7240-08-SWG16P042												
		BO7240-09-SWG16P042												
		BO7240-11-SWG16P042												
		BO7240-12-SWG16P042												
		BO7240-15-SWG16P042												
		BO7240-16-SWG16P042												
		BO7240-19-SWG16P042												
BO7240-20-SWG16P042														
BO7240-21-SWG16P042														
BO7240-23-SWG16P042														
BO7240-25-SWG16P042														
BO7240-29-SWG16P042														
BO7240-30-SWG16P042B														
2		BO7240-26-SWG8P042 BO7240-28-SWG8P042 BO7240-31-SWG8P042B	72x40	12.00x11.00x1.23	10.196x6.18	9.196x5.18	8	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-WIRE SPI /I2C
3		BO7240-00-SWG12P042 BO7240-18-SWG12P042 BO7240-27-SWG12P042	72x40	12.00x11.00x1.23	10.196x6.18	9.196x5.18	12	Monochrome (White)	/	/	-40~70°C	-40~85°C	SSD1306B Z	4-WIRE SPI /I2C
4	0.49"	BO6432-00-SWG14P049	64x32	14.50x11.60x1.23	12.58 x 6.98	11.18x5.58	14	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
5	0.66"	BO6448-00-SWG28P066 BO6448-29-SWG28P066	64x48	18.46x18.10x1.21	15.42x12.06	13.42x10.06	28	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
6		BO6448-27-SWG11P066 BO6448-28-SWG11P066	64x48	16.42x16.90x1.23	14.42x11.06	13.42x10.06	11	Monochrome (White)	/	/	-40~70°C	-40~85°C	SSD1315	I2C
7	0.68"	BO9632-01-SWG15P068	96x32	19.80x9.92x1.23	17.70x6.82	16.30x5.42	15	Monochrome (White)	1.65~3.3V	3.5~4.2V	-20~70°C	-30~80°C	SSD1306	4-wire SPI
8	0.69"	BO9616-01-SWG14P069	96x16	26.30x8.00x1.23	18.86x4.78	17.26x3.18	14	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
		BO9616-02-SWG14P069												
		BO9616-04-SWG14P069												
		BO9616-06-SWG14P069												
		BO9616-10-SWG14P069												
		BO9616-11-SWG14P069												
		BO9616-15-SWG14P069B												
		BO9616-17-SWG14P069												
BO9616-30-SWG14P069C														

9	0.69"	BO9616-05-SWG8P069 BO9616-16-SWG8P069 BO9616-20-SWG8P069 BO9616-21-SWG8P069 BO9616-31-SWG8P069C	96x16	26.30x8.00x1.23	18.86x4.78	17.26x3.18	8	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
10	0.78"	BO80128-03-HWG13P078 BO80128-07-HWG13P078	48x64	13.90x22x1.23	12.14x16.30	10.54x14.70	13	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
11		BO80128-09-HWG11P078	48x64	13.90x22x1.23	12.14x16.30	10.54x14.70	11	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
12		BO80128-06-HWG12P078	48x64	13.90x22x1.23	12.14x16.30	10.54x14.70	12	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
13	0.84"	BO64128-03-HWG15P084	64X128	12.8x25.3x1.22	10.58x20.18	9.58x19.18	15	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1107	4-wire SPI
14	0.87"	BO12832-00-SWG15P087 BO12832-13-SWG15P087 BO12832-63-SWG15P087 BO12832-66-SWG15P087 BO12832-68-SWG15P087 BO12832-73-SWG15P087 BO12832-77-SWG15P087 BO12832-83-SWG15P087 BO12832-89-SWG15P087 BO12832-92-SWG15P087 BO12832-93-SWG15P087 BO12832-98-SWG15P087	128x32	29.00x8.70x1.22	22.856x6.824	21.356x5.324	15	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1316Z	4-wire SPI
15		BO12832-61-SWG8P087 BO12832-64-SWG8P091	128x32	29.00x8.70x1.22	22.856x6.824	21.356x5.324	8	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1316Z	4-wire SPI
16		BO12832-29-SWG13P087	128x32	29.00x8.70x1.22	22.856x6.824	21.356x5.324	13	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1316Z	4-wire SPI
17		BO12832-05-SWG14P087 BO12832-46-SWG14P087 BO12832-58-SWG14P087 BO12832-60-SWG14P087 BO12832-62-SWG14P087 BO12832-70-SWG14P087 BO12832-79-SWG14P087	128x32	29.00x8.70x1.22	22.856x6.824	21.356x5.324	14	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1316Z	I2C
18	0.91"	BO12832-01-SWG14P091 BO12832-32-SWG14P091 BO12832-38-SWG14P091 BO12832-91-SWG14P091 BO12832-99-SWG14P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	14	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
19		BO12832-30-SBG4P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	4	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
20		BO12832-42-HWG11P091B	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	11	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
21		BO12832-47-SWG8P091 BO12832-64-SWG8P091 BO12832-71-SWG8P091 BO12832-90-SWG8P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	8	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
22		BO12832-02-SBG12P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	12	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI

23		BO12832-96-SWG12P091 BO12832-97-SWG12P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	12	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
24		BO12832-80-SWG11P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	11	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	
25		BO12832-78-SWG10P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	10	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
26		BO12832-49-SWG20P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	20	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
27	0.91"	BO12832-03-SWG15P091 BO12832-56-SWG15P091 BO12832-04-SWG15P091 BO12832-18-SWG15P091 BO12832-59-SWG15P091 BO12832-67-SWG15P091 BO12832-72-SWG15P091 BO12832-76-SWG15P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	15	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
28		BO12832-50-SWG4P091 BO12832-51-SWG4P091 BO12832-65-SWG4P091 BO12832-74-SWG4P091 BO12832-81-SWG4P091 BO12832-82-SWG4P091 BO12832-86-SWG4P091 BO12832-95-SWG4P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	4	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
29		BO12832-06-SBG15P091 BO12832-57-SBG15P091 BO12832-07-SBG15P091	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	15	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
30		BO12832-08-SBG14P091 BO12832-87-SBG14P091 BO12832-88-SBG14P091 BO12832-94-SBG14P091	128x32	29.00x8.70x1.22	22.856x6.824	21.356x5.324	14	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	I2C
31	0.95"	BO9664-01-SCG23P095	96x64	25.70x22.20x1.45	22.14x15.42	20.14x13.42	23	Color			-40~70°C	-40~85°C	SSD1331Z	
32		BO12864-00-SBG30P096 BO12864-05-SBG30P096 BO12864-09-SBG30P096 BO12864-205-SBG30P096 BO12864-21-SBG30P096	128x64	26.70x19.26x1.41	23.74x12.864	21.744x10.864	30	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
33		BO12864-04-SDG30P096 BO12864-29-SDG30P096	128x64	26.70x19.26x1.41	23.74x13.20	21.74x11.20	30	Monochrome (Yellow & Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
34	0.96"	BO12864-03-SWG30P096 BO12864-02-SWG30P096 BO12864-06-SWG30P096 BO12864-07-SWG30P096 BO12864-37-SWG30P096 BO12864-40-SWG30P096 BO12864-43-SWG30P096 BO12864-62-SWG30P096 BO12864-120-SWG30P096 BO12864-139-SWG30P096 BO12864-142-SWG30P096 BO12864-143-SWG30P096	128x64	26.70x19.26x1.41	23.74x12.864	21.744x10.864	30	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI

34		BO12864-175-SWG30P096 BO12864-187-SWG30P096 BO12864-188-SWG30P096 BO12864-189-SWG30P096 BO12864-218-SWG30P096 BO12864-230-SWG30P096 BO12864-239-SWG30P096 BO12864-252-SWG30P096	128x64	26.70x19.26x1.41	23.74x12.864	21.744x10.864	30	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	6800/8080 Interface I2C / 4-wire SPI
35		BO12864-180-SWG11P096	128x64	26.70x19.26x1.41	23.74x13.20	21.74x11.20	11	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	4-wire SPI
36		BO12864-191-SDG12P096	128x64	26.70x19.26x1.41	23.74x13.20	21.74x11.20	12	Monochrome (Yellow & Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	4-wire SPI
37		BO12864-224-SWG12P096 BO64128-27-HWG12P096 BO64128-32-HWG12P096 BO64128-43-CWG12P096D	128x64	26.70x19.26x1.41	23.74x13.20	21.74x11.20	12	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	4-wire SPI
38		BO12864-185-SBG14P096	128x64	24.74x16.90x1.42	22.74x11.86	21.744x10.864	14	Monochrome (Yellow & Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	4-wire SPI
39		BO12864-137-SBG20P096	128x64	24.74x16.90x1.42	22.74x11.86	21.744x10.864	20	Monochrome (Yellow & Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	I <sup>2</sup> C// 3/4-wire SPI
40		BO12864-167-SDG15P096	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	15	Monochrome (Yellow & Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
41		BO12864-257-SBG15P096	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	15	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
42		BO12864-240-SWG18P096	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	18	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
43	0.96"	BO12864-34-SBG20P096	128x64	24.74x16.90x1.42	22.74x11.86	21.744x10.864	20	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	I <sup>2</sup> C// 3/4-wire SPI
44		BO12864-01-SWG20P096 BO12864-16-SWG20P096 BO12864-61-SWG20P096 BO12864-66-SWG20P096 BO12864-67-SWG20P096 BO12864-81-SWG20P096 BO12864-193-SWG20P096 BO12864-196-SWG20P096 BO12864-215-SWG20P096 BO12864-251-SWG20P096 BO12864-258-SWG20P096	128x64	24.74x16.90x1.42	22.74x11.86	21.744x10.864	20	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	I <sup>2</sup> C// 3/4-wire SPI
45		BO12864-197-SWG24P096 BO12864-213-SWG24P096 BO12864-242-SWG24P096 BO64128-31-HWG24P096	128x64	24.74x16.90x1.42	22.74x11.86	21.744x10.864	24	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	4-wire SPI
46		BO64128-01-HWG13P096 BO64128-10-HWG13P096 BO64128-19-CWG13P096D BO64128-26-HWG13P096 BO64128-30-HWG13P096 BO64128-36-HWG13P096 BO64128-38-HWG13P096 BO64128-39-HWG13P096 BO64128-40-HWG13P096	128x64	24.74x16.90x1.42	22.74x11.86	21.744x10.864	13	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	4-wire SPI

47		BO12864-08-SWG14P096 BO64128-18-HWG14P096	128x64	24.74x16.90x1.42	22.74x11.86	21.744x10.864	14	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	4-wire SPI
48	0.96"	BO12864-60-SWG15P096 BO12864-74-SWG15P096 BO12864-124-SWG15P096 BO12864-216-SWG15P096 BO64128-00-HWG15P096	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	15	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	4-wire SPI
49		BO12864-31-SBG15P096	128x64	30.00x11.50x1.23	24.384x7.584	22.384x5.584	15	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1315Z	4-wire SPI
50		BO12864-108-SWG7P096	128x32	30.00x11.50x1.23	24.384x7.584	22.384x5.584	7	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
51		BO12864-109-SBG4P096 BO12864-146-SBG4P096	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	4	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
52		BO12864-182-SDG4P096 BO12864-208-SDG4P096	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	4	Monochrome (Yellow & Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
53		BO12864-99-SWG4P096 BO12864-172-SWG4P096 BO12864-73-SWG4P096 BO12864-201-SWG4P096 BO12864-237-SWG4P096	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	4	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
54		BO12864-10-SWG4P096+PCB BO12864-10A-	128x64	27.50x27.80x2.61	23.74x12.87	21.75x10.86	4+30	Monochrome (White or Blue)			-40~70°C	-40~85°C	SSD1306	
55		BO12864-183-SWG8P096 BO64128-42-CWG8P096D	128x64	27.50x27.80x2.61	23.74x12.87	21.75x10.86	8	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
56		BO64128-01-HWG13P096	64x128	14.00x28.00x1.23	11.86x22.74	10.86x21.74	13	Monochrome (White)	2.6~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1107	I <sup>2</sup> C/ 4-wire SPI
57	1.1"	BO19696-01-SWG14P110	196x96	29x17.7x1.135	26.02x12.21	25x11.21	14	Monochrome (White)	2.6~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1357Z	4-wire SPI
58	1.29"	BO12864-243-HWG12P129 BO12864-235-HWG12P129	128x64	35.8x17.1x1.43	30.42x15.7	29.42x14.70	12	Monochrome (White)	2.6~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1105	I <sup>2</sup> C/ 4-wire SPI
59		BO12864-133-HWG16P129 BO12864-202-HWG16P129	128x64	35.8x17.1x1.43	30.42x15.7	29.42x14.70	16	Monochrome (White)	2.6~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1105	I <sup>2</sup> C/ 4-wire SPI
60	1.3"	BO12864-24-HWG16P130 BO12864-207-HWG16P130 BO12864-222-HWG16P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	16	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1106G	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
61		BO64128-05-HWG12P130 BO64128-11-HWG12P130 BO64128-37-HWG12P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	12	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1106G	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
62		BO64128-09-HWG13P130 BO64128-29-HWG13P130 BO64128-34-HWG13P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	13	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1107	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
63		BO64128-33-HWG10P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	10	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1107	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
64		BO12864-134-HBG16P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	16	Monochrome (Yellow & Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1106G	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
65		BO12864-209-HWG14P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	14	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1106G	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI

66		BO12864-220-HBG14P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	14	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1106G	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
67		BO12864-199-HWG24P130 BO12864-200-HBG24P130 BO12864-227-HWG24P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	24	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1106G	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
68	1.3"	BO12864-96-HWG4P130 BO12864-195-HWG4P130 BO12864-221-HWG4P130 BO12864-226-HWG4P130 BO12864-232-HWG4P130 BO12864-241-HWG4P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	4	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SSD1306B Z	4-wire SPI
69		BO12864-214-HBG30P130 BO12864-219-HBG30P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	30	Monochrome (Blue)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1106G	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
70		BO12864-18-HWG30P130 BO12864-20-HWG30P130 BO12864-47-HWG30P130 BO12864-54-HWG30P130 BO12864-87-HWG30P130 BO12864-89-HWG30P130 BO12864-92-HWG30P130 BO12864-93-HWG30P130 BO12864-104-SWG30P130 BO12864-153-HWG30P130 BO12864-206-HWG30P130 BO12864-253-HWG30P130	128x64	34.50x23.00x1.43	31.42 x 16.7	29.42 x14.7	30	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SH1106G	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
71	1.32"	BO12896-00-SWG16P132 BO12896-01-SWG16P132	128x96	32.5x29.2x1.76	27.86x27.14	26.86x21.14	16	Monochrome (White)	1.65~3.3V	3.5~4.2V	-40~70°C	-40~85°C	SDD1327Z	SPI
72		BO12864-32-PYG24P154 BO12864-77-PBG24P154 BO12864-138-PWG24P154 BO12864-152-PWG24P154	128x64	42.04x27.22x1.41	37.052 x 19.516	35.052 x17.516	24	Monochrome (Yellow & Blue)	1.65~3.3V	11.5~12.5V	-40~70°C	-40~85°C	SPD0301Z D	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
73		BO12864-165-PWG8P154 BO12864-212-PWG8P154	128x64	42.04x27.22x1.41	37.052 x 19.516	35.052 x17.516	8	Monochrome (White)	1.65~3.3V	11.5~12.5V	-40~70°C	-40~85°C	SPD0301Z D	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
74		BO12864-135-PBG12P154	128x64	42.04x27.22x1.41	37.052 x 19.516	35.052 x17.516	12	Monochrome (Yellow & Blue)	1.65~3.3V	11.5~12.5V	-40~70°C	-40~85°C	SPD0301Z D	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
75		BO12864-150-PWG12P154 BO12864-254-PWG12P154	128x64	42.04x27.22x1.41	37.052 x 19.516	35.052 x17.516	12	Monochrome (White)	1.65~3.3V	11.5~12.5V	-40~70°C	-40~85°C	SPD0301Z D	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
76		BO12864-255-PWG20P154	128x64	42.04x27.22x1.41	37.052 x 19.516	35.052 x17.516	20	Monochrome (White)	1.65~3.3V	11.5~12.5V	-40~70°C	-40~85°C	SPD0301Z D	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
77		BO12864-217-PWG10P154	128x64	42.04x27.22x1.41	37.052 x 19.516	35.052 x17.516	10	Monochrome (White)	1.65~3.3V	11.5~12.5V	-40~70°C	-40~85°C	SPD0301Z D	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
78		BO12864-157-PWG14P154	128x64	42.04x27.22x1.41	37.052 x 19.516	35.052 x17.516	14	Monochrome (White)	1.65~3.3V	11.5~12.5V	-40~70°C	-40~85°C	SPD0301Z D	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
79		BO12864-12-PWG24P154 BO12864-186-PWG24P154 BO12864-203-PWG24P154 BO12864-261-SWG24P154B	128x64	42.04x27.22x1.41	37.052 x 19.516	35.052 x17.516	24	Monochrome (White)	1.65~3.3V	11.5~12.5V	-40~70°C	-40~85°C	SPD0301Z D	6800/8080 Interface I <sup>2</sup> C / 4-wire SPI
80	2.45"	BO30496-01-HWG30P245	304x96	72 x 28.2 x 1.63	60.86 x 20.78	59.26x19.18	30	Monochrome (White)	1.65~3.5V	11.5~12.5V	-40~70°C	-40~85°C	SH1126	8-bit 8080,8-bit 6800,4-wire SPI,3- wire SPI ,I2C
81	2.7"	BO12864-158-PYG20P270	128x64	74 x53.5 x 5.70	62.41 x 31.69	61.41x31.69	20	Monochrome (Yellow & Blue)	1.65~3.5V	11.5~12.5V	-40~70°C	-40~85°C	SPD0301	8-bit 8080,8-bit 6800,4-wire SPI,3- wire SPI, I2C