

BOCEN Bocen Display Technology Co., Ltd.

Tel: +86-0755-23145782 E-mail: info@bocentech.com Website: www.bocentech.com

Address: 603 Esun Tech Building, No.22 Jia'an South Road, Bao'an District, 518101 Shenzhen, China.

Note: This document is forbidden to show to the third party without the authorization of Bocen Display Technology Co., Ltd.

STANDARD LCM (COG) of BOCEN DISPLAY

Update:2020/09/07

Display Format	No.	Part Number	Tech.	Display Mode	Structure	Outline Size (LCM) (mm)	Outline Size (LCD) (mm)	Viewing Area (mm)	Controller IC	Opt (°C)	Interface	Viewing Direction	Backlight	
10 x 2	1	BG1002-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL	52.50 x 26.70 x 4.80	43.50 x 25.70/19.70 x 2.80	39.50 x 15.70	ST7032i	-20 ~70	I2C	6 o'clock	White	
20 x 2	2	BG2002-01	COG	STN/Y-G/P	LCD+IC+PIN+BL	69.50 x 25.05 x 6.00	67.90 x 18.70/24.25 x 2.80	61.00 x 15.00	NT7605	-20 ~70°C	Parallel (6800)	12 o'clock	Y-G	
16 x 2	3	BG1602-01	COG	STN/B/M	LCD+IC+FPC	64.90 x 27.70 x 2.80	64.90 x 27.70/20.20 x 2.80	62.40 x 17.60	SPLC792A	-10 ~60°C	I2C	12 o'clock	No	
	4	BG1602-03	COG	STN/Y-G/P	LCD+IC+PIN	71.50 x 29.00 x 6.00	68.60 x 20.00/26.00 x 2.80	64.60 x 16.00	ST7032i	-0 ~50°C	I2C	6 o'clock	No	
	5	BG1602-04	COG	FSTN/N/M	LCD+IC+FPC+BL	56.50 x 25.80 x 5.00	54.00 x 17.80/23.80 x 2.80	51.00 x 14.80	SPLC792A	-20 ~70°C	I2C	12 o'clock	White	
	6	BG1602-05	COG	FSTN/N/M	LCD+IC+FPC+BL	71.00 x 27.00 x 5.00	68.60 x 19.00/25.00 x 2.80	56.60 x 16.00	SPLC792A	-20 ~70°C	I2C	12 o'clock	White	
	7	BG1602-06	COG	STN/Blue/N	LCD+IC+FPC+BL	56.50 x 25.80 x 5.00	54.00 x 17.80/23.80 x 2.80	51.00 x 14.80	SPLC792A	-20 ~70°C	I2C	12 o'clock	White	
	8	BG1602-07	COG	DFSTN/N/M	LCD+IC+FPC	44.00 x 21.00 x 2.80	44.00 x 17.00/21.00 x 2.80	40.00 x 13.00	ST7032i	-0 ~50°C	I2C	12 o'clock	No	
	9	BG1602-08	COG	DFSTN/N/M	LCD+IC+FPC	64.00 x 22.60 x 2.80	64.00 x 18.10/22.60 x 2.80	61.00 x 15.70	ST7032i	-0 ~50°C	I2C	12 o'clock	No	
	10	BG1602-09	COG	STN/Blue/N	LCD+IC+FPC+BL	56.50 x 25.80 x 5.00	54.00 x 17.80/23.80 x 2.80	51.00 x 14.80	SPLC792A	-20 ~70°C	I2C	12 o'clock	White	
	11	BG1602-10	COG	DFSTN/N/M	LCD+IC+FPC	68.60 x 25.00 x 2.80	68.60 x 20.00/25.00 x 2.80	66.20 x 17.60	SPLC792A	-20 ~70°C	4 wire SPI	12 o'clock	No	
	12	BG1602-11	COG	STN/Y-G/P	LCD+IC+PIN	65.00 x 27.70 x 2.80	65.00 x 19.70/27.70 x 2.80	61.00 x 15.70	NT7605	-20 ~70°C	Parallel (6800)	6 o'clock	No	
	13	BG1602-12	COG	STN/Grey/P	LCD+IC+PIN	64.00 x 25.50 x 2.80	64.00 x 18.50/25.50 x 2.80	61.00 x 15.50	ST7032i	-0 ~50°C	I2C	12 o'clock	No	
	14	BG1602-13	COG	STN/Grey/P	LCD+IC+FPC	72.00 x 40.00 x 2.80	72.00 x 33.00/40.00 x 2.80	65.00 x 26.00	ST7032i	-0 ~50°C	4 wire SPI	12 o'clock	No	
	15	BG1602-14	COG	DFSTN/N/M	LCD+IC+FPC+BL	51.30 x 27.10 x 5.50	49.70 x 18.30/25.30 x 2.00	45.70 x 14.30	ST7032i	-30 ~80°C	I2C	6 o'clock	Blue	
	16	BG1602-15	COG	FSTN/P/T	LCD+IC+FPC+BL	72.10 x 29.60 x 6.30	69.50 x 17.50/27.40 x 2.80	61.00 x 15.00	ST7032i	-20 ~70°C	Parallel (6800) or SPI	6 o'clock	White	
	17	BG1602-16	COG	DFSTN/N/M	LCD+IC+FPC+BL	71.00 x 27.00 x 5.00	68.60 x 19.00/25.00 x 2.80	65.60 x 16.00	SPLC792A	-20 ~70°C	I2C	12 o'clock	White	
	18	BG1602-17	COG	DFSTN/N/M	LCD+IC+FPC	44.00 x 21.00 x 2.8	44.00 x 17.00/21.00 x 2.80	40.00 x 13.00	ST7032i	-0 ~50°C	I2C	12 o'clock	No	
	19	BG1602-18	COG	DFSTN/N/M	LCD+IC+FPC+BL	77.70 x 39.60 x 7.00	76.00 x 37.80/31.80 x 2.80	70.00 x 27.60	SPLC792A-002A	-10 ~60°C	I2C	9 o'clock	White	
	20	BG1602-19	COG	STN/Blue/M	LCD+IC+PIN	58.00 x 28.00 x 2.80	58.00 x 28.00/22.00 x 2.80	54.68 x 19.00	ST7032i	-0 ~50°C	I2C	6 o'clock	No	
	21	BG1602-20	COG	STN/Grey/T	LCD+IC+FPC+BL	108.00 x 41.50 x 5.80	94.00 x 41.50/37.00 x 2.80	91.00 x 34.00	ST7032	-0 ~50°C	I2C	12 o'clock	White	
	22	BG1602-21	COG	DFSTN/N/M	LCD+IC+PIN	54.00 x 26.00 x 2.80	54.00 x 26.00/22.00 x 2.80	50.00 x 16.00	ST7032	-0 ~50°C	I2C	12 o'clock	No	
	23	BG1602-22	COG	DFSTN/N/M	LCD+IC+PIN	58.00 x 28.00 x 2.80	58.00 x 28.00/22.00 x 2.80	54.68 x 19.00	ST7032	-0 ~50°C	I2C	12 o'clock	No	
	24	BG1602-23	COG	STN/Blue/M	LCD+IC+PIN+BL	41.40 x 24.30 x 4.90	39.60 x 22.50/15.80 x 2.00	37.60 x 12.80	ST7032	-20 ~70°C	4 wire SPI	6 o'clock	White	
	25	BG1602-24	COG	FSTN/B-W/R	LCD+IC+FPC	102.00 x 34.00 x 2.80	102.00 x 34.00/28.00 x 2.80	98.00 x 24.00	ST7032i	-20 ~70°C	I2C	12 o'clock	No	
	26	BG1602-25	COG	STN/Blue/M	LCD+IC+PIN	74.00 x 38.00 x 2.80	74.00 x 38.00/32.00 x 2.80	70.00 x 28.00	ST7032i	-20 ~70°C	4 wire SPI or I2C	12 o'clock	No	
	27	BG1602-26	COG	FSTN/B-W/T	LCD+IC+PIN	58.00 x 28.00 x 2.80	58.00 x 28.00/22.00 x 2.80	54.68 x 19.00	ST7032i	-20 ~70°C	I2C	12 o'clock	No	
	28	BG1602-27	COG	DFSTN/N/M	LCD+IC+PIN+BL	54.00 x 26.00 x 2.80	54.00 x 26.00/22.00 x 2.80	50.00 x 16.00	ST7032i	-0 ~50°C	I2C	12 o'clock	White	
	29	BG1602-28	COG	FSTN/B-W/T	LCD+IC+PIN+BL	106.20 x 31.60 x 10.30	92.00 x 29.60/23.00 x 2.80	89.60 x 20.60	ST7032	-10 ~60°C	Parallel	12 o'clock	White	
	30	BG1602-29	COG	DFSTN/N/M	LCD+IC+PIN	73.40 x 37.40 x 2.80	73.40 x 37.40/31.40 x 2.80	67.40 x 26.40	ST7032	-0 ~50°C	4 wire SPI	12 o'clock	No	
	31	BG1602-30	COG	FSTN/B-W/T	LCD+IC+PIN+BL	106.20 x 31.60 x 8.80	92.00 x 29.60/23.00 x 2.00	89.60 x 20.60	ST7032	-10 ~60°C	Parallel	12 o'clock	White	
	64 x 64	32	BG6464-01	COG	STN/Blue/N	LCD+IC+FPC+BL	17.80 x 21.14 x 2.00	16.60 x 16.68/20.54 x 1.40	14.22 x 16.68	ST7567S	-20 ~70°C	I2C	12 o'clock	White
	64 x 192	33	BG64192-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL	38.00 x 98.50 x 2.80	38.00 x 98.50/90.00 x 2.80	28.00 x 84.00	ST7539	-20 ~70°C	4 wire SPI	6 o'clock	White
80 x 16	34	BG8016-01	COG	STN/Blue/N/M	LCD+IC+PIN	23.00 x 15.00 x 2.80	23.00 x 9.00/15.00 x 2.80	20.40 x 6.40	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	No	
82 x 36	35	BG8236-01	COG	FSTN/N/M	LCD+IC+FPC	35.48 x 17.90 x 2.00	17.90 x 30.00/35.48 x 2.00	28.00 x 14.90	ST7567	-10 ~60°C	4 wire SPI	12 o'clock	No	
84 x 48	36	BG8448-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL	34.31 x 34.95 x 4.85	38.31 x 34.95/28.80 x 2.00	34.31 x 25.20	ST7549T	-20 ~70°C	4 wire SPI	12 o'clock	Green	
	37	BG8448-02	COG	STN/Grey/P/T	LCD+IC+FPC	38.50 x 33.80 x 2.00	38.50 x 29.00/33.80 x 2.00	35.50 x 26.00	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	No	
88 x 64	38	BG8864-01	COG	STN/Blue/M	LCD+IC+FPC	74.70 x 96.00 x 2.00	74.70 x 58.00/53.00 x 2.00	64.18 x 48.00	ST7565R	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	No	
	39	BG8864-02	COG	STN/Blue/M	LCD+IC+FPC	74.70 x 108.50 x 2.00	74.70 x 58.00/53.00 x 2.00	64.18 x 48.00	ST7565R	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	No	
90 x 64	40	BG9064-01	COG	FSTN/B-W/R	LCD+IC+FPC	23.00 x 20.00/16.20 x 1.70	23.00 x 20.00/16.20 x 1.70	20.60 x 13.80	ST7567	-20 ~70°C	4 wire SPI	12 o'clock	No	
96 x 16	41	BG9616-01	COG	VA	LCD+IC+FPC+BL	26.30 x 8.00 x 2.00	8.00 x 26.30/22.70 x 2.00	19.26 x 5.18	ST7539I	-20 ~70°C	I2C	6 o'clock	White	

96 x 24	42	BG9624-02	COG	FSTN/N/M	LCD+IC+FPC+BL	45.00 x 20.50 x 2.90	42.70 x 18.30/13.60 x 1.70	40.38 x 11.58	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	White
	43	BG9624-03	COG	FSTN/N/M	LCD+IC+FPC	42.70 x 18.30 x 1.70	42.70 x 18.30/13.60 x 1.70	39.70 x 10.60	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	No
	44	BG9624-04	COG	FSTN/P/R	LCD+IC+FPC	48.20 x 22.81 x 2.80	48.20 x 16.31/22.81 x 2.80	43.00 x 12.00	ST7567S	-20 ~70°C	4 wire SPI	6 o'clock	No
	45	BG9624-05	COG	FSTN/P/M	LCD+IC+PIN+BL+BZF	41.10 x 27.00 x 10.15	40.00 x 18.20 x 26.20 2.80	37.00 x 19.70	SSD1805Z	-20 ~70°C	4 wire SPI	6 o'clock	No
96 x 32	46	BG9632-01	COG	STN/Y-G/R	LCD+IC+FPC	38.60 x 20.00 x 2.80	38.60 x 20.00/15.00 x 2.80	34.60 x 12.00	ST7567S	-20 ~70°C	4 wire SPI	6 o'clock	No
96 x 36	47	BG9636-01	COG	FSTN/B-W/T	LCD+IC+FPC	33.30 x 21.50/17.00 x 2.80	33.30 x 21.50/17.00 x 2.00	31.30 x 15.00	ST7567	-10 ~60°C	4 wire SPI	12 o'clock	No
96 x 64	48	BG9664-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL	22.10 x 22.80 x 9.90	20.70 x 21.40/16.50 x 2.00	18.10 x 13.90	ST7567A	-20 ~70°C	4 wire SPI	6 o'clock	Red+Green
	49	BG9664-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	22.10 x 22.80 x 9.90	20.70 x 21.40/16.50 x 2.00	18.10 x 13.90	ST7567A	-20 ~70°C	4 wire SPI	6 o'clock	RGB
96 x 96	50	BG9696-01	COG	DFSTN/N/M	LCD+IC+FPC+BL	27.00 x 30.10 x 1.80	25.20 x 30.10/24.135 x 1.40	22.135 x 22.135	IST3980	-20 ~70°C	4 wire SPI	6 o'clock	White
97 x 32	51	BG9732-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL+PCB	49.70 x 31.30 x 6.20	47.50 x 29.10/ 24.20 x 2.00	43.20 x 18.32	UC1701X	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	Y-G
101 x 33	52	BG10133-01	COG	FSTN/N/M	LCD+IC+FPC+BL	124.20 x 54.20 x 5.30	120.00 x 50.00/42.00 x 2.80	116.00 x 38.00	ST7565P	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	Orange
112 x 30	53	BG11230-01	COG	FSTN/B-W/M	LCD+IC	34.30 x 23.00 x 1.70	34.30 x 23.00/16.80 x 1.70	30.00 x 13.60	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	No
122 x 32	54	BG12232-01	COG	STN/Blue/N	LCD+IC+FPC+BL	65.40 x 30.50 x 5.00	63.40 x 23.60/28.50 x 2.00	54.80 x 20.00	ST7567	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	No
	55	BG12232-02	COG	STN/Blue/N	LCD+IC+FPC+BL	65.40 x 30.50 x 5.00	63.40 x 23.60/28.50 x 2.00	54.80 x 20.00	ST7567	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	No
	56	BG12232-03	COG	FSTN/B-W/R	LCD+IC+FPC	77.00 x 29.50 x 2.80	77.00 x 29.50/25.00 x 2.80	73.00 x 21.00	ST7567	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	No
	57	BG12232-04	COG	FSTN/B-W/T	LCD+IC+FPC+BL	65.40 x 30.00 x 4.20	63.10 x 27.70/22.68 x 2.00	59.00 x 19.00	ST7567	-20 ~70°C	Parallel (6800)	6 o'clock	White
	58	BG12232-05	COG	STN/Grey/P/R	LCD+IC+FPC	43.00 x 23.00 x 2.10	43.00 x 17.00/23.00 x 2.10	40.00 x 14.00	ST7565R	-20 ~70°C	4 wire SPI	6 o'clock	No
128 x 24	59	BG12824-01	COG	DFSTN/N/M	LCD+IC+FPC	40.00 x 20.00 x 2.80	40.00 x 20.00/15.00 x 2.80	37.00 x 12.00	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	No
	60	BG12824-02	COG	FSTN/P/M	LCD+IC+FPC+BL	37.40 x 16.90 x 2.95	36.00 x 12.00/15.50 x 2.00	33.60 x 9.20	ST7567A	-20 ~70°C	4 wire SPI	12 o'clock	White
	61	BG12824-03	COG	STN/Grey/P/R	LCD+IC+FPC	35.00 x 12.00 x 2.10	30.00/35.00 x 12.00 x 2.10	27.00 x 8.00	ST7567S	-20 ~70°C	I2C	12 o'clock	No
	62	BG12824-04	COG	FSTN/B-W/T	LCD+IC+FPC+BL	37.40 x 16.90 x 2.95	36.00 x 15.5/12.00 x 2.00	33.60 x 9.20	ST7567A	-20 ~70°C	4 wire SPI	12 o'clock	White
	63	BG12824-05	COG	FSTN/P/M	LCD+IC+FPC	36.00 x 15.50 x 2.00	36.00 x 15.50/12.00 x 2.00	33.60 x 9.20	ST7567A	-30 ~80°C	4 wire SPI	12 o'clock	No
128 x 32	64	BG12832-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL	52.00 x 27.50 x 3.10	50.00 x 25.50/20.00 x 1.70	46.00 x 16.00	UC1705	-10 ~60°C	4 wire SPI	12 o'clock	White
	65	BG12832-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	52.00 x 27.50 x 3.10	50.00 x 25.50/20.00 x 1.70	46.00 x 16.00	UC1705	-10 ~60°C	4 wire SPI	12 o'clock	White
	66	BG12832-03	COG	FSTN/B-W/T	LCD+IC+FPC+BL	53.40 x 25.50 x 4.20	53.40 x 25.50/20.20 x 1.70	50.40 x 17.20	IST3080CA1	-10 ~60°C	Parallel (6800/8080) or SPI	6 o'clock	White
	67	BG12832-04	COG	FSTN/B-W/T	LCD+IC+FPC+BL	58.00 x 25.50 x 4.60	56.00 x 22.50/18.50 x 2.00	53.00 x 15.50	ST7565R	-20 ~70°C	4 wire SPI	6 o'clock	White
	68	BG12832-05	COG	FSTN/P/M	LCD+IC+FPC	63.00 x 27.50 x 2.00	63.00 x 27.50/21.50 x 2.00	59.00 x 17.50	ST7565R	-10 ~60°C	4 wire SPI	12 o'clock	White
	69	BG12832-06	COG	FSTN/P/M	LCD+IC+FPC+BL	50.00 x 23.00 x 3.30	47.85 x 21.00/16.00 x 2.00	44.00 x 13.50	ST7567	-10 ~60°C	4 wire SPI	12 o'clock	No
	70	BG12832-07	COG	FSTN/P/M	LCD+IC+FPC	50.00 x 23.00 x 3.30	47.85 x 21.00/16.00 x 2.00	44.00 x 13.50	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	White
	71	BG12832-08	COG	FSTN/N/M	LCD+IC+FPC+BL	37.20 x 18.55 x 2.80	35.00 x 16.35/11.85 x 2.00	33.00 x 9.85	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	White
	72	BG12832-09	COG	FSTN/B-W/T	LCD+IC+FPC+BL	36.50 x 20.00 x 3.10	35.00 x 18.00/12.00 x 1.70	33.00 x 10.00	ST7565R	-10 ~60°C	Parallel (6800/8080) or SPI	6 o'clock	White
	73	BG12832-10	COG	FSTN/P/M	LCD+IC+FPC	27.80 x 15.15 x 1.70	27.80 x 15.15/11.65 x 1.70	25.00 x 9.40	UC1705	-10 ~60°C	4 wire SPI	6 o'clock	White
	74	BG12832-11	COG	FSTN/P/M	LCD+IC+FPC+BL	61.40 x 30.60 x 2.70	57.30 x 27.0/22.0 x 1.70	54.30 x 18.60	ST7567	-20 ~70°C	4 wire SPI	12 o'clock	White
	75	BG12832-12	COG	DFSTN/N/M	LCD+IC+FPC	27.80 x 15.15 x 1.70	27.80 x 15.15/11.65 x 1.70	25.00 x 9.40	UC1705	-10 ~60°C	4 wire SPI	6 o'clock	No
	76	BG12832-13	COG	FSTN/B-W/T	LCD+IC+FPC+BL	52.00 x 27.50 x 3.10	50.00 x 25.50/20.00 x 1.70	46.00 x 16.00	UC1705	-10 ~60°C	4 wire SPI	12 o'clock	White
	77	BG12832-14	COG	STN/Y-G/M	LCD+IC+FPC	58.50 x 24.50 x 2.80	58.50 x 24.50/18.82 x 2.80	56.14 x 15.82	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	No
	78	BG12832-15	COG	STN/Blue/M	LCD+IC+FPC+BL	111.60 x 26.00 x 4.80	106.10 x 23.80/19.50 x 2.00	101.70 x 17.30	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	White
	79	BG12832-16	COG	DFSTN/N/M	LCD+IC+FPC+BL	37.20 x 18.55 x 2.80	35.00 x 16.35/11.85 x 2.00	33.00 x 9.85	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	White
80	BG12832-17	COG	STN/Grey/M	LCD+IC+PIN+BL	62.70 x 22.40 x 10.20	56.00 x 12.60/15.90 x 2.80	53.00 x 12.30	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	White	
128 x 48	81	BG12832-18	COG	VA	LCD+IC+FPC+BL	30.00 x 11.50 x 2.00	30.00/26.60 x 11.50 x 2.00	24.39 x 7.58	ST7539I	-20 ~70°C	2C	6 o'clock	White
	82	BG12832-19	COG	DFSTN/N/M	LCD+IC+FPC+BL	30.00 x 11.50 x 2.00	30.00/26.60 x 11.50 x 2.00	24.39 x 7.58	ST7539	-20 ~70°C	4 wire SPI	6 o'clock	White
	83	BG12848-01	COG	STN/Grey/R	LCD+IC+FPC	64.00 x 30.50 x 2.80	64.00 x 30.50/25.50 x 2.80	61.40 x 22.50	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	No
	84	BG12848-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	100.80 x 40.00 x 10.30	78.90 x 36.60/32.10 x 2.80	76.00 x 29.30	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	White
	85	BG12848-03	COG	FSTN/B-W/T	LCD+IC+FPC+BL	64.00 x 30.50 x 5.30	64.00 x 30.50/25.50 x 2.80	61.40 x 22.50	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	White
	86	BG12848-04	COG	FSTN/B-W/T	LCD+IC+PIN	53.70 x 30.50 x 2.80	53.70 x 30.50/24.50 x 2.80	48.70 x 19.50	UC1601X	-20 ~70°C	3 wire SPI	12 o'clock	No
	87	BG12848-05	COG	STN/Grey/T	LCD+IC+FPC	63.70 x 30.30 x 2.80	63.70 x 30.30/24.90 x 2.80	59.70 x 21.90	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	No
	88	BG12848-06	COG	STN/Grey/P/M	LCD+IC+FPC	67.00 x 33.60 x 2.90	67.00 x 28.00/33.60 x 2.90	60.0 x 22.00	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	No
	89	BG12848-07	COG	STN/Y-G/P/T	LCD+IC+FPC+BL	41.50 x 25.00 x 4.00	39.50 x 18.00/23.00 x 2.00	37.00 x 16.00	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	White
	90	BG12848-08	COG	FSTN/P/M	LCD+IC+FPC+BL	39.60 x 21.60 x 3.60	37.50 x 14.50/19.50 x 1.70	35.00 x 12.00	UC1701C	-20 ~70°C	4 wire SPI	6 o'clock	Blue
	91	BG12848-09	COG	FSTN/P/M	LCD+IC+PIN+BL	53.70 x 30.50 x 2.80	53.70 x 24.50/30.50 x 2.80	48.70 x 19.50	UC1601X	-20 ~70°C	4 wire SPI	12 o'clock	White
	92	BG12848-10	COG	FSTN/B-W/M	LCD+IC+FPC+BL	42.35 x 21.80 x 6.20	38.20 x 20.00/16.46 x 1.70	36.20 x 14.46	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	White
	93	BG12848-11	COG	FSTN/B-W/M	LCD+IC+FPC+BL	40.20 x 22.00 x 6.20	38.20 x 20.00/16.46 x 1.70	36.20 x 14.46	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	White
	94	BG12848-12	COG	FSTN/B-W/M	LCD+IC+FPC+BL	87.9 x 40.20 x 5.10	85.70 x 38.00/32.00 x 2.80	81.70 x 28.22	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	White
	95	BG12848-13	COG	FSTN/B-W/R	LCD+IC+FPC	70.00 x 33.00 x 2.80	70.00 x 33.00/28.00 x 2.80	67.00 x 25.00	UC1701	-0 ~50°C	4 wire SPI	6 o'clock	No
	96	BG12848-14	COG	FSTN/B-W/M	LCD+IC+FPC+BL	40.20 x 22.00 x 6.20	38.20 x 20.00/16.46 x 1.70	36.20 x 14.46	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	White
	97	BG12848-15	COG	FSTN/P/T	LCD+IC+FPC+BL	44.50 x 25.00 x 4.00	44.50 x 19.00/23.30 x 2.00	42.50 x 17.30	ST7567A	-20 ~70°C	4 wire SPI	6 o'clock	White+red
	98	BG12848-16	COG	STN/Y-G/P/T	LCD+IC+FPC+BL	41.50 x 25.00 x 4.00	39.50 x 18.50/23.00 x 2.00	37.00 x 16.00	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	White

128 x 64	99	BG12864-01	COG	FSTN/B-W/M	LCD+IC+PIN+BL	43.20 x 35.70 x 6.30	43.20 x 35.70/29.20 x 2.80	40.00 x 25.00	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	Blue
	100	BG12864-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	80.00 x 138.00 x 9.70	76.00 x 48.50/43.00 x 2.80	70.70 x 38.80	ST7567	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	White
	101	BG12864-03	COG	FSTN/B-W/T	LCD+IC+FPC+BL	55.20 x 88.10 x 4.00	53.20 x 37.80/31.60 x 2.80	45.20 x 27.00	ST7567	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	White
	102	BG12864-04	COG	FSTN/B-W/T	LCD+IC+FPC+BL	77.40 x 52.40 x 9.10	75.00 x 50.00/43.00 x 2.80	70.00 x 40.00	ST7565R	-20 ~70°C	Parallel (6800/8080) or SPI	12 o'clock	White
	103	BG12864-05	COG	STN/Y-G/M	LCD+IC+FPC+BL	65.00 x 39.55 x 4.90	56.60 x 38.60/31.60 x 2.80	53.60 x 28.60	ST7567	-10 ~60°C	Parallel (6800/8080) or SPI	6 o'clock	Green
	104	BG12864-06	COG	STN/Y-G/M	LCD+IC+FPC+BL+BZF+PCB	93.00 x 57.00 x 10.30	69.00 x 46.00/41.00 x 2.80	66.00 x 38.00	ST7565R	-10 ~60°C	4 wire SPI	6 o'clock	Green
	105	BG12864-07	COG	STN/Y-G/M	LCD+IC+FPC+BL	36.80 x 38.80 x 4.52	35.00 x 37.00/32.00 x 1.70	32.00 x 29.00	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	Green
	106	BG12864-08	COG	STN/Y-G/M	LCD+IC+FPC+BL	65.00 x 61.95 x 4.90	56.60 x 38.60/31.60 x 2.80	53.60 x 28.60	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	Green
	107	BG12864-09	COG	STN/Y-G/M	LCD+IC+FPC+BL	65.00 x 61.95 x 4.90	56.60 x 38.60/31.60 x 2.80	53.60 x 28.60	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	Green
	108	BG12864-10	COG	STN/Y-G/M	LCD+IC+FPC+BL+BZF+PCB	95.00 x 54.50 x 10.0	69.00 x 46.00/41.00 x 2.80	65.40 x 38.00	ST7565R	-10 ~60°C	4 wire SPI	6 o'clock	Green
	109	BG12864-11	COG	STN/Y-G/M	LCD+IC+FPC+BL+PCB	71.30 x 57.20 x 6.3	69.00 x 46.00/41.00 x 2.80	66.00 x 38.00	ST7565R	-10 ~60°C	Parallel (6800/8080) or SPI	6 o'clock	Blue
	110	BG12864-12	COG	STN/Blue/M	LCD+IC+FPC+BL+BZF+PCB	92.00 x 53.00 x 9.80	69.00 x 46.00/41.00 x 2.80	65.40 x 38.00	ST7565R	-10 ~60°C	4 wire SPI	6 o'clock	Green
111	BG12864-13	COG	STN/Y-G/M	LCD+IC+FPC+BL+BZF+PCB	106.20 x 52.10 x 10.00	69.00 x 46.00/41.00 x 2.80	65.40 x 38.00	ST7565R	-10 ~60°C	Parallel (6800/8080) or SPI	6 o'clock	Green	
112	BG12864-14	COG	STN/Y-G/M	LCD+IC+FPC+BL+BZF+PCB	95.00 x 54.50 x 10.00	69.00 x 46.00/41.00 x 2.80	65.40 x 38.00	ST7565R	-10 ~60°C	4 wire SPI	6 o'clock	Blue	
128 x 96	113	BG12896-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL	45.90 x 51.30 x 4.80	44.30 x 49.70/43.70 x 2.8	40.10 x 40.10	NT7508	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	White
	114	BG12896-02	COG	FSTN/B-W/T	LCD+IC+FPC	43.10 x 39.50 x 2.00	43.10 x 39.50/33.50 x 2.00	40.70 x 31.10	ST7571	-20 ~70°C	4 wire SPI	6 o'clock	No
	115	BG12896-03	COG	FSTN/P/T	LCD+IC+FPC+BL	86.20 x 70.20 x 5.90	84.00 x 60.50/66.00 x 2.80	76.00 x 56.50	ST7541	-20 ~70°C	Parallel (8080)	6 o'clock	White
	116	BG12896-04	COG	FSTN/P/T	LCD+IC+FPC	49.50 x 44.00 x 2.00	49.50 x 38.00/44.00 x 2.00	46.50 x 35.00	ST7571	-20 ~70°C	4 wire SPI	6 o'clock	No
	117	BG12896-05	COG	FSTN/P/T	LCD+IC+FPC	49.50 x 44.00 x 2.00	49.50 x 38.00/44.00 x 2.00	46.50 x 35.00	ST7571	-20 ~70°C	4 wire SPI	6 o'clock	No
	118	BG12896-06	COG	STN/Y-G/P	LCD+IC+FPC	41.80 x 60.00 x 2.00	41.80 x 54.00/60.00 x 2.00	30.70 x 51.00	NT7506	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	No
	119	BG12896-07	COG	FSTN/P/R	LCD+IC+FPC	48.80 x 42.36 x 1.80	48.80 x 37.36/42.36 x 1.80	46.40 x 34.96	ST7571	-20 ~70°C	Parallel (8080)	6 o'clock	No
	120	BG12896-08	COG	FSTN/P/T	LCD+IC+FPC+BL	49.50 x 44.00 x 5.50	49.50 x 38.00/44.00 x 2.00	46.50 x 35.00	ST7571	-20 ~70°C	4 wire SPI	6 o'clock	White
	121	BG12896-09	COG	FSTN/P/T	LCD+IC+FPC	49.50 x 44.00 x 5.50	49.50 x 38.00/44.00 x 2.00	46.50 x 35.00	ST7571	-20 ~70°C	4 wire SPI	6 o'clock	No
	122	BG12896-10	COG	STN/Y-G/P/T	LCD+IC+FPC+BL+PCB	53.00 x 64.00 x 7.00	41.6 x 54.00/60.00 x 2.80	38.60 x 51.00	ST7571	-20 ~70°C	Parallel (6800/8080)	6 o'clock	Blue
	123	BG12896-11	COG	FSTN/P/T	LCD+IC+FPC+BL	49.50 x 44.00 x 4.80	49.50 x 38.00/44.00 x 2.00	46.50 x 35.00	ST7571	-20 ~70°C	4 wire SPI	6 o'clock	White
	128 x 128	124	BG128128-01	COG	FSTN/B-W/T	LCD+IC+FPC	43.50 x 42.0 x 1.70	43.50 x 42.00/36.50 x 1.70	40.50 x 33.50	ST7571	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock
125		BG128128-02	COG	FSTN/B-W/T	LCD+IC+FPC	47.80 x 49.40 x 2.80	47.80 x 49.40/44.40 x 2.80	45.80 x 42.40	ST7571	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	No
126		BG128128-03	COG	FSTN/B-W/T	LCD+IC+FPC+BL	67.00 x 44.50 x 4.30	67.00 x 44.50/39.00 x 2.80	64.00 x 36.00	ST7571	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	White
127		BG128128-04	COG	FSTN/P/R	LCD+IC+FPC	49.00 x 55.00 x 2.80	49.00 x 55.00/47.50 x 2.80	46.00 x 44.50	UC1617S	-20 ~70°C	4 wire SPI	6 o'clock	No
128		BG128128-05	COG	FSTN/N/M	LCD+IC+FPC	39.00 x 52.00 x 1.90	39.00 x 52.00/46.00 x 1.90	43.00 x 55.00	ST7586S	-20 ~70°C	4 wire SPI	12 o'clock	No
129		BG128128-06	COG	FSTN/P/R	LCD+IC+FPC	49.00 x 55.00 x 2.80	49.00 x 47.50/55.00 x 2.80	46.00 x 44.50	UC1617S	-20 ~70°C	4 wire SPI	6 o'clock	No
130		BG128128-07	COG	STN/Y-G/P	LCD+IC+FPC+BL	37.94 x 43.44 x 5.00	36.34 x 36.34/41.84 x 2.80	33.34 x 33.34	ST7571i	-0 ~50°C	I2C	6 o'clock	White
131		BG128128-08	COG	FSTN/P/T	LCD+IC+FPC	88.00 x 84.00 x 2.80	81.50/88.00 x 84.00 x 2.80	68.50 x 66.50	UC1617S	-10 ~60°C	Parallel (6800/8080)	6 o'clock	No
132		BG128128-09	COG	FSTN/P/T	LCD+IC+FPC	55.00 x 60.20 x 2.80	55.00 x 54.00/60.20 x 2.80	48.78 x 48.78	ST7541	-10 ~60°C	Parallel (6800/8080)	12 o'clock	No
133		BG128128-10	COG	STN/Grey/P	LCD+IC+FPC	29.10 x 32.80 x 1.70	29.10 x 28.00/32.80 x 1.70	26.00 x 25.00	ST7571	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	No
134		BG128128-11	COG	FSTN/P/T	LCD+IC+FPC+BL	34.80 x 38.80 x 3.00	33.20 x 30.28/37.28 x 1.70	27.88 x 25.83	ST7541	-0 ~50°C	Parallel (8080)	12 o'clock	White
135		BG128128-12	COG	FSTN/P/T	LCD+IC+FPC	55.00 x 60.20 x 2.00	55.00 x 54.00/60.20 x 2.00	48.78 x 48.78	ST7541	-10 ~60°C	Parallel (6800/8080)	12 o'clock	No
136		BG128128-13	COG	FSTN/P/T	LCD+IC+FPC+BL	32.64 x 36.39 x 2.10	32.64 x 31.10/35.60 x 1.40	28.67 x 28.67	IST7920	-10 ~60°C	4 wire SPI	6 o'clock	White
137		BG128128-14	COG	FSTN/P/M	LCD+IC+FPC	49.00 x 55.00 x 2.80	49.00 x 47.50/55.00 x 2.80	46.00 x 44.50	UC1617S	-20 ~70°C	4 wire SPI	12 o'clock	No
132 x 24	138	BG128128-15	COG	DFSTN/N/M	LCD+IC+FPC	29.10 x 32.81 x 1.75	29.10 x 28.03/32.81 x 1.75	26.10 x 25.00	ST7571	-20 ~70°C	I2C	6 o'clock	No
	139	BG128128-16	COG	STN/Y-G/P/T	LCD+IC+FPC+BL	37.94 x 43.44 x 5.00	36.34 x 36.34/41.84 x 2.80	33.34 x 33.34	ST7571i	-0 ~50°C	4 wire SPI	6 o'clock	White
	140	BG128128-17	COG	FSTN/P/M	LCD+IC+FPC	49.00 x 55.00 x 2.80	49.00 x 47.50/55.00 x 2.80	46.00 x 44.50	UC1617S	-0 ~50°C	4 wire SPI	12 o'clock	No
	141	BG128128-18	COG	FSTN/B-W/T	LCD+IC+FPC+BL	45.70 x 44.20 x 7.50	43.50 x 42.00/36.50 x 2.80	40.50 x 33.50	ST7571	-20 ~70°C	Parallel (6800/8080) or SPI	6 o'clock	White
	142	BG13224-01	COG	FSTN/P/T	LCD+IC+FPC+BL	65.00 x 25.00 x 4.50	65.00 x 18.00/25.00 x 2.80	61.00 x 13.00	ST7567	-20 ~70°C	4 wire SPI	12 o'clock	White
	143	BG13224-02	COG	FSTN/P/T	LCD+IC+FPC+BL	106.20 x 31.60 x 5.80	92.00 x 23.00 x 29.50 x 2.00	89.60 x 20.60	ST7567A	-10 ~60°C	4 wire SPI	12 o'clock	White
	144	BG13224-03	COG	FSTN/P/T	LCD+IC+FPC+BL	65.00 x 25.00 x 4.50	65.00 x 18.00/25.00 x 2.80	61.00 x 13.00	ST7567	-20 ~70°C	4 wire SPI	12 o'clock	Amber
	132 x 32	145	BG13232-01	COG	FSTN/B-W/M	LCD+IC+FPC	34.50 x 15.00 x 1.70	34.50 x 15.00/11.50 x 1.70	31.90 x 9.50	ST7567	-20 ~70°C	4 wire SPI	6 o'clock
146		BG13232-02	COG	FSTN/B-W/T	LCD+IC+FPC	34.50 x 15.00 x 1.70	34.50 x 15.00/11.50 x 1.70	31.90 x 9.50	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	No
147		BG13232-03	COG	FSTN/B-W/R	LCD+IC+FPC	34.50 x 15.00 x 1.70	34.50 x 15.00/11.50 x 1.70	31.90 x 9.50	ST7567	-20 ~70°C	4 wire SPI	6 o'clock	No
148		BG13232-04	COG	FSTN/B-W/M	LCD+IC+FPC+BL	35.80 x 16.40 x 3.70	34.50 x 15.00/11.50 x 1.70	31.90 x 9.50	ST7567	-10 ~60°C	4 wire SPI	12 o'clock	Orange
149		BG13232-05	COG	FSTN/B-W/R	LCD+IC+PIN	65.00 x 27.00 x 2.80	65.00 x 27.00/20.50 x 2.80	62.00 x 17.50	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	No
132 x 48	150	BG13248-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL	67.00 x 38.00 x 4.40	67.00 x 38.00/29.50 x 2.80	63.00 x 29.50	ST7567	-20 ~70°C	4 wire SPI	12 o'clock	White
	151	BG13248-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	67.00 x 38.00 x 4.40	67.00 x 38.00/29.50 x 2.80	63.00 x 29.50	ST7567	-20 ~70°C	4 wire SPI	12 o'clock	Amber
	152	BG13264-01	COG	FSTN/B-W/T	LCD+IC+FPC	65.00 x 31.50 x 2.80	65.00 x 31.50/25.00 x 2.80	62.00 x 22.00	ST7567	-10 ~60°C	4 wire SPI	6 o'clock	No

	153	BG13264-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	39.00 x 22.20 x 3.60	33.60 x 21.50/18.00 x 1.70	31.20 x 15.60	ST7567A	-30 ~-80°C	4 wire SPI	6 o'clock	White
	154	BG13264-03	COG	FSTN/P/M	LCD+IC+FPC+BL	75.40 x 47.97 x 5.80	56.50 x 33.80/39.30 x 2.80	52.50 x 29.00	ST7567	-10 ~-60°C	4 wire SPI	6 o'clock	White
	155	BG13264-04	COG	STN/Y-G/P/M	LCD+IC+FPC+BL+PCB	73.50 x 40.00 x 8.220	57.00 x 31.00/37.00 x 2.80	54.00 x 28.00	ST7567	-30 ~-80°C	4 wire SPI	6 o'clock	
	156	BG13264-05	COG	FSTN/P/T	LCD+IC+FPC	49.00 x 40.00 x 2.00	49.00 x 34.00/40.00 x 2.00	46.00 x 31.00	ST7567	-20 ~-70°C	4 wire SPI	6 o'clock	No
	157	BG13264-06	COG	FSTN/P/M	LCD+IC+FPC+BL	47.50 x 50.37 x 7.35	56.50 x 33.80/39.30 x 2.80	52.50 x 29.00	ST7567	-10 ~-60°C	4 wire SPI	6 o'clock	White
144 x 144	158	BG144144-01	COG	FSTN/P/T	LCD+IC+FPC+BL	45.00 x 51.90 x 4.10	45.00 x 50.00/45.00 x 2.00	42.00 x 42.00	UC1628C	-20 ~-70°C	Parallel (6800/8080) or SPI	6点	Green
160 x 32	159	BG16032-01	COG	FSTN/P/T	LCD+IC+FPC+BL+PCB	98.00 x 54.25 x 10.70	89.00 x 24.20/29.70 x 2.00	83.00 x 18.60	ST7525	-20 ~-70°C	Parallel (6800)	6 o'clock	RGB
	160	BG16032-02	COG	FSTN/P/T	LCD+IC+FPC+BL+PCB	102.80 x 41.90 x 9.00	89.00 x 24.20/29.70 x 2.00	83.00 x 18.60	ST7525	-20 ~-70°C	Parallel (6800)	6 o'clock	White
160 x 48	161	BG16048-01	COG	DFSTN/N/M	LCD+IC+FPC+BL	62.70 x 20.80 x 2.55	61.20/56.20 x 19.80 x 1.70	52.70 x 17.00	UC1604C	-0 ~-50°C	4 wire SPI	6 o'clock	White
	162	BG16048-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	62.70 x 20.80 x 2.55	61.20/56.20 x 19.80 x 1.70	52.70 x 17.00	UC1604C	-20 ~-70°C	4 wire SPI	6 o'clock	Orange
	163	BG16048-03	COG	FSTN/B-W/T	LCD+IC+FPC+BL	62.70 x 20.80 x 2.55	61.20/56.20 x 19.80 x 1.70	52.70 x 17.00	UC1604C	-20 ~-70°C	4 wire SPI	6 o'clock	Blue
	164	BG16048-04	COG	FSTN/P/T	LCD+IC+FPC+BL	62.70 x 20.80 x 2.55	61.20/56.20 x 19.80 x 1.70	52.70 x 17.00	UC1604C	-20 ~-70°C	4 wire SPI	6 o'clock	White
	165	BG16048-05	COG	FSTN/P/T	LCD+IC+FPC+BL	62.70 x 20.80 x 2.55	61.20/56.20 x 19.80 x 1.70	52.70 x 17.00	UC1604C	-20 ~-70°C	4 wire SPI	6 o'clock	White
160 x 64	166	BG16064-01	COG	FSTN/P/T	LCD+IC+FPC	68.710 x 36.70 x 2.00	68.70 x 31.70/36.70 x 2.00	65.70 x 27.70	UC1609C	-30 ~-80°C	Parallel (6800/8080) or SPI	12 o'clock	No
160 x 128	167	BG160128-01	COG	FSTN/P/T	LCD+IC+FPC+BL	37.60 x 32.00 x 4.50	35.80 x 26.08/31.08 x 1.40	30.78 x 23.01	ST75161	-30 ~-80°C	Parallel (6800/8080) or SPI	6 o'clock	White
160 x 132	168	BG160132-01	COG	FSTN/P/T	LCD+IC+FPC+BL	90.00 x 94.0 x 7.80	90.00 x 82.00/94.00 x 2.80	87.00 x 79.00	ST7529	-20 ~-70°C	Parallel (6800/8080)	6 o'clock	White
160 x 160	169	BG160160-01	COG	STN/Grey/T	LCD+IC+FPC+BL	79.0 x 68.00 x 7.00	77.00 x 66.00/60.00 x 2.80	69.00 x 57.00	ST7586S	-20 ~-70°C	Parallel (6800/8080) or SPI	12 o'clock	White
	170	BG160160-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL+BZF+PCB	83.80 x 76.50 x 8.50	64.00 x 70.00/64.00 x 2.00	60.00 x 60.00	UC1698U	-30 ~-80°C	Parallel (8080)	6 o'clock	White
	171	BG160160-03	COG	FSTN/P/T	LCD+IC+FPC+BL	89.00 x 72.50 x 5.00	64.00 x 70.00/64.00 x 2.00	60.00 x 60.00	UC1698u	-20 ~-70°C	Parallel (8080)	6 o'clock	White
	172	BG160160-04	COG	FSTN/P/M	LCD+IC+FPC+BL+PCB+BZF	89.00 x 87.00 x 8.50	63.35 x 63.35/69.30 x 2.00	60.00 x 60.00	UC1698u	-20 ~-70°C	Parallel (8080)	6 o'clock	White
	173	BG160160-05	COG	FSTN/P/T	LCD+IC+FPC+BL	80.00 x 72.50 x 5.00	64.00 x 64.00/70.00 x 2.00	60.00 x 60.00	UC1698u	-20 ~-70°C	Parallel (6800/8080) or SPI	6 o'clock	White
	174	BG160160-06	COG	STN/Blue/N	LCD+IC+FPC+BL	80.00 x 72.50 x 5.00	64.00 x 64.00/70.00 x 2.00	60.00 x 60.00	UC1698u	-20 ~-70°C	Parallel (8080)	6 o'clock	White
	175	BG160160-07	COG	FSTN/B-W/T	LCD+IC+FPC	53.00 x 61.50 x 2.00	53.00 x 61.50/54.00 x 2.00	50.00 x 51.00	ST7529	-10 ~-60°C	Parallel (8080)	6 o'clock	No
192 x 48	176	BG19248-01	COG	DFSTN/N/M	LCD+IC+FPC+BL	84.40 x 32.40 x 4.70	83.00 x 25.00/31.00 x 2.80	80.00 x 22.00	ST7525	-20 ~-70°C	4 wire SPI	6 o'clock	White
	177	BG19248-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	58.00 x 24.40 x 3.20	53.90 x 24.40/19.50 x 1.70	51.00 x 17.20	UC1609C	-20 ~-70°C	3/4 wire SPI or I2C	12 o'clock	No
192 x 64	178	BG19264-01	COG	STN/Blue/M	LCD+IC+FPC+BL+BZF+PCB	100.00 x 48.00 x 11.50	88.50 x 40.00/35.50 x 2.80	84.00 x 32.00	IST3020	-20 ~-70°C	4 wire SPI	12 o'clock	White
	179	BG19264-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	58.00 x 24.40 x 3.2	53.90 x 24.40/19.50 x 1.70	51.00 x 17.20	UC1609C	-20 ~-70°C	3/4 wire SPI or I2C	6 o'clock	No
240 x 64	180	BG24064-01	COG	FSTN/P/M	LCD+IC+FPC+BL	81.50 x 33.00 x 4.68	79.20 x 25.20/30.70 x 2.80	75.20 x 21.70	ST75256	-20 ~-70°C	4 wire SPI	12 o'clock	RGB
	181	BG24064-02	COG	FSTN/P/M	LCD+IC+FPC+BL	81.50 x 33.00 x 4.68	79.20 x 25.20/30.70 x 2.80	75.20 x 21.70	ST75256	-20 ~-70°C	4 wire SPI	12 o'clock	White
240 x 128	182	BG240128-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL	111.28 x 68.74 x 7.60	98.18 x 66.74/60.74 x 2.8	94.18 x 56.74	UC1698	-20 ~-70°C	Parallel (6800/8080) or SPI	6 o'clock	White
	183	BG240128-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL	104.00 x 65.80 x 5.80	102.40 x 64.20/58.00 x 2.80	97.30 x 53.90	UC1608	-20 ~-70°C	Parallel (6800/8080) or SPI	6 o'clock	White
	184	BG240128-03	COG	FSTN/B-W/T	LCD+IC+FPC+BL+PCB	87.80 x 44.80 x 9.10	64.00 x 42.30/36.80 x 2.80	60.00 x 32.60	UC1628CA	-20 ~-70°C	Parallel (6800/8080)	6 o'clock	White
	185	BG240128-04	COG	STN/Blue/N	LCD+IC+FPC+BL	71.30 x 52.20 x 5.50	69.00 x 42.00/49.50 x 2.80	65.00 x 38.00	UC1638	-20 ~-70°C	4 wire SPI	6 o'clock	White
	186	BG240128-05	COG	FSTN/P/T	LCD+IC+FPC	109.00 x 69.00 x 2.90	109.00 x 61.50/69.00 x 2.90	103.00 x 51.00	UC1608X	-30 ~-80°C	Parallel (8080)	6 o'clock	No
240 x 160	187	BG240160-01	COG	STN/Blue/M	LCD+IC+FPC+BL+BZF+PCB	93.00 x 64.20 x 9.30	82.50 x 59.00/52.00 x 2.00	78.50 x 47.50	ST7586S	-20 ~-70°C	Parallel (6800/8080) or SPI	12 o'clock	White
	188	BG240160-02	COG	FSTN/B-W/T	LCD+IC+FPC	51.00 x 66.60 x 2.00	51.00/45.00 x 66.60 x 2.00	40.50 x 61.00	UC1611S	-10 ~-60°C	Parallel (6800/8080) or SPI	6 o'clock	No
	189	BG240160-03	COG	STN/Blue/M	LCD+IC+FPC	82.50 x 59.00 x 2.80	82.50 x 59.00/52.00 x 2.80	78.50 x 47.50	ST7586S	-20 ~-70°C	Parallel (6800/8080) or SPI	6 o'clock	No
	190	BG240160-04	COG	FSTN/B-W/T	LCD+IC+FPC+BL+PCB	97.00 x 64.20 x 9.30	82.50 x 59.00/52.00 x 2.80	78.50 x 47.50	ST7586S	-20 ~-70°C	Parallel (6800/8080) or SPI	6 o'clock	White
	191	BG240160-05	COG	FSTN/B-W/T	LCD+IC+FPC+BL	71.00 x 52.00 x 9.50	69.40 x 50.40/43.60 x 2.80	62.00 x 40.60	ST7586S	-20 ~-70°C	Parallel (6800/8080) or SPI	6 o'clock	White
280 x 64	192	BG28064-01	COG	FSTN/P/T	LCD+IC+FPC+BL	75.20 x 29.40 x 5.50	75.20 x 21.60/28.60 x 2.80	72.20 x 18.60	ST7586S	-10 ~-60°C	4 wire SPI	6 o'clock	White
320 x 64	193	BG32064-01	COG	STN/Grey/P	LCD+IC+FPC+BL+PCB	118.00 x 43.00 x 12.70	94.20 x 33.00/41.00 x 2.80	77.00 x 26.30	ST7586S	-20 ~-70°C	4 wire SPI	6 o'clock	White
320 x 240	194	BG320240-01	COG	FSTN/B-W/T	LCD+IC+FPC+BL+PCB	110.00 x 73.30 x 8.40	88.30/83.80 x 69.10/64.60 x 2.00	80.50 x 61.10	NT7701+NT7709	-20 ~-70°C	Parallel (6800/8080)	6 o'clock	Blue
256 x 32	195	BG25632-01	COG	STN/Blue/M	LCD+IC+FPC+BL	69.50 x 19.90 x 4.30	65.00 x 19.90/15.40 x 2.00	62.00 x 12.00	ST75256	-20 ~-70°C	4 wire SPI	12 o'clock	White
	196	BG25632-02	COG	FSTN/B-W/T	LCD+IC+FPC+BL+PCB	95.00 x 22.40 x 6.60	93.20 x 20.60/15.90 x 2.80	90.20 x 12.30	ST75256	-20 ~-70°C	4 wire SPI	6 o'clock	Green
	197	BG25632-03	COG	FSTN/B-W/T	LCD+IC+PIN+BL	95.00 x 22.40 x 6.60	93.20 x 20.60/15.90 x 2.80	90.20 x 12.30	ST75256	-20 ~-70°C	4 wire SPI	6 o'clock	Green