





Revised Record

1.0 2021-10-20 New Issue



Backlight Circuit Diagram



7*2=14LED, 40*2=80mA

PIN	SYMBOL
1	GND
2	D0P
3	D0N
4	GND
5	D1P
6	D1N
7	GND
8	CLKP
9	CLKN
10	GND
11	D2P
12	D2N
13	GND
14	D3P
15	D3N
16	GND
17	GND
18	NC
19	NC
20	NC
21	NC
22	NC
23	NC
24	RST
25	NC
26	NC
27	GND
28	K
29	K
30	GND
31	NC
32	GND
33	GND
34	NC
35	A
36	A
37	GND
38	VDD3.3V
39	VDD3.3V
40	NC

SPECIFICATIONS:

- | | |
|---------------------------|--|
| 1. DISPLAY TYPE: | 9.35"/ IPS / 320*1280 |
| 2. DRIVE IC: | AV096XHQ-N10 |
| 3. OPERATING TEMPERATURE: | -10 ~ 60°C |
| 4. STORAGE TEMPERATURE: | -20 ~ 70°C |
| 5. VIEWING ANGLE: | IPS |
| 6. BACKLIGHT: | 14 WHITE LED, If = 40*2mA, Vf = 19.6 ± 1. 8V |
| 7. TOLERANCE: | ±0.2 MM |
| 8. CUSTOMER PART NO.: | BOCEN STANDARD PRODUCT |


BOCEN DISPLAY TECHNOLOGY CO., LTD.

DESIGNED BY: Shawn

BF93540-01

VERSION: 1.0

CHECKED BY: William



NO.: 1 OF 1

APPROVED BY: Rio

UNIT: mm

Website: <http://www.bocentech.com>

DATE: 2021-10-20