





Version	1.0	2020-2-26	New Issue						
---------	-----	-----------	-----------	--	--	--	--	--	--



BACKLIGHT SUPPLY VOLTAGE 12V

PIN	SYMBOL
1	VSS
2	VDD(5.0V)
3	VADJ
4	RS
5	R/W
6	E
7	DB0
8	DB1
9	DB2
10	DB3
11	DB4
12	DB5
13	DB6
14	DB7
15	VSS
16	DATA-SPI
17	CLK1
18	CLK2
19	LEDA(12V)
20	LEDK(VSS)

SPECIFICATIONS:

- 1. DISPLAY TYPE: VATN / NEGATIVE / TRANSMISSIVE
- 2. DRIVE IC: NT7063
- 3. OPERATING VOLTAGE: 4.6V
- 4. OPERATING TEMPERATURE: -25 ~ 75°C
- 5. STORAGE TEMPERATURE: -30 ~ 80°C
- 6. DRIVE MODE: 1/8 DUTY, 1/4 BIAS
- 7. VIEWING ANGLE: 6 O'CLOCK
- 8. BACKLIGHT: WHITE LED
- 9. CUSTOMER PART NO.: BOCEN STANDARD PRODUCT




BOCEN DISPLAY TECHNOLOGY CO., LTD.		
DESIGNED BY: David	BB866C-01	VERSION: 1.0
CHECKED BY: William		NO.: 1 OF 5
APPROVED BY: Rio		UNIT: mm
Website: http://www.bocentech.com		DATE: 2020-2-26

Version

1.0

2020-2-26

New Issue



PIN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
COM	COM	15E	15G	15F	15A	15B	15C	15D	16E	16G	16F	16A	16B	16C	16D	17E	17G	17F	17A	17B	17C	17D	17H	P	9E	9G
PIN	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
COM	9F	9A	9B	9C	9D	10E	10G	10F	10A	10B	10C	10D	11E	11G	11F	11A	11B	11C	11D	11H	1E	1G	1F	1A	1B	1C
PIN	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78
COM	1D	2E	2G	2F	2A	2B	2C	2D	3E	3G	3F	3A	3B	3C	3D	4E	4G	4F	4A	4B	4C	4D	COM	COM	5E	5G
PIN	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104
COM	5F	5A	5B	5C	5D	5H	6E	6G	6F	6A	6B	6C	6D	6H	7E	7G	7F	7A	7B	7C	7D	7H	8E	8G	8F	8A
PIN	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130
COM	8B	8C	8D	12E	12G	12F	12A	12B	12C	12D	12H	13E	13G	13F	13A	13B	13C	13D	13H	14E	14G	14F	14A	14B	14C	14D
PIN	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154		
COM	18E	18G	18F	18A	18B	18C	18D	18H	19E	19G	19F	19A	19B	19C	19D	19H	20E	20G	20F	20A	20B	20C	20D	COM		


BOCEN DISPLAY TECHNOLOGY CO., LTD.

DESIGNED BY: David

BB866C-01

VERSION: 1.0

CHECKED BY: William



NO.: 3 OF 5

APPROVED BY: Rio

UNIT: mm

Website: <http://www.bocentech.com>


DATE: 2020-2-26

Version


1.0

2020-2-26

New Issue



COMMON



SEGMENT


BOCEN DISPLAY TECHNOLOGY CO., LTD.

DESIGNED BY: David

BB866C-01

VERSION: 1.0

CHECKED BY: William



NO.: 4 OF 5

APPROVED BY: Rio


UNIT: mm

Website: <http://www.bocentech.com>

DATE: 2020-2-26

Version

1.0 2020-2-26 New Issue



DISPLAY EFFECT


BOCEN DISPLAY TECHNOLOGY CO., LTD.

DESIGNED BY: David

BB866C-01

VERSION: 1.0

CHECKED BY: William



NO.: 5 OF 5

APPROVED BY: Rio

UNIT: mm

Website: <http://www.bocentech.com>

DATE: 2020-2-26