

STANDARD TFT DISPLAY MODULE

Update: 2024/09/12

No.	Inch	TFT Part No.	Touch Panel Type	Resolution	Outline Size (mm)	Active Area (mm)	Viewing Angle	Controller IC	Interface
1	0.96"	BF096P13-01	No	80*160	13.75(H) x 28.15(V) x 1.92(T)	10.80(H) x 21.70(V)	IPS	ST7735S	SPI 4W
2		BF096P13-01A	No	80*160	13.75(H) x 28.15(V) x 1.92(T)	10.80(H) x 21.70(V)	IPS	ST7735S	SPI 4W
3		BF09613-02	No	80*160	13.90(H) x 27.95(V) x 1.50(T)	10.80(H) x 21.70(V)	IPS	ST7735	SPI 4W
4		BF09613-03	No	80*160	14.04(H) x 27.95(V) x 1.75(T)	10.80(H) x 21.70(V)	IPS	ST7735S	SPI 4W
5		BF09613-03A	No	80*160	13.50(H) x 27.95(V) x 1.50(T)	10.80(H) x 21.70(V)	IPS	ST7735S	SPI 4W
6		BF09613-04	No	80*160	13.50(H) x 27.95(V) x 1.50(T)	10.80(H) x 21.70(V)	IPS	GC9107	SPI 4W
7		BF09613-04A	No	80*160	14.04(H) x 27.95(V) x 1.75(T)	10.80(H) x 21.70(V)	IPS	GC9107	SPI 4W
8	0.99"	BF09910-01	No	40*160	8.60(H) x 29.80(V) x 1.50(T)	6.10(H) x 24.39(V)	IPS	GC9D01	SPI 4W
9	1.00"	BF1023-01	No	128*96	22.75(H) x 22.06(V) x 1.75(T)	20.35(H) x 15.26(V)	12 o'clock	ST7735S	SPI 4W
10	1.05"	BF10513-01	No	120*240	14.25(H) x 28.60(V) x 1.60(T)	11.88(H) x 23.76(V)	IPS	GC9A01	SPI 4W
11	1.06"	BF106P13-01	No	96*160	16.12(H) x 29.76(V) x 1.70(T)	13.82 x 23.04(V)	12 o'clock	ST7735S	SPI 4W
12	1.08"	BF108P13-01	No	128*220	16.12(H) x 29.76(V) x 1.55(T)	13.82 x 23.76(V)	IPS	GC9203	SPI 4W
13	1.10"	BF1113-01	No	135*240	17.60(H) x 31.00(V) x 1.60(T)	14.86(H) x 24.91(V)	IPS	ST7789	SPI 4W
14		BF1113-02	No	135*240	17.60(H) x 31.00(V) x 1.60(T)	14.86(H) x 24.91(V)	IPS	ST7789V2	SPI 4W
15	1.22"	BF12221-01	No	240*240	24.96(H) x 28.35(V) x 1.50(T)	21.96(H) x 22.01(V)	IPS	ST7789V	SPI 4W
16	1.28"	BF12824-01	No	240*240	35.60(H) x 38.10(V) x 1.60(T)	32.40φ (round)	IPS	GC9A01	SPI 4W
17		BF12812-07	No	240*240	35.60(H) x 38.10(V) x 1.50(T)	32.40φ (round)	IPS	GC9A01	SPI 4W
18		BF12830-01	No	240*240	35.60(H) x 37.74(V) x 1.56(T)	32.40φ (round)	IPS	GC9A01	MCU 8BIT / SPI 4W
19		BF12830-01C	Capacitive Touch Panel	240*240	46.00(H) x 46.00(V) x 3.09(T)	32.40φ (round)	IPS	GC9A01	MCU 8BIT / SPI 4W
20	1.30"	BF1312-01	No	240*240	26.16(H) x 29.22(V) x 1.92(T)	23.40(H) x 23.40(V)	IPS	ST7789V3	SPI /MCU
21		BF1312-01A	No	240*240	26.16(H) x 29.22(V) x 1.92(T)	23.40(H) x 23.40(V)	IPS	ST7789V	SPI /MCU
22		BF1324-01	No	240*240	26.17(H) x 29.22(V) x 1.51(T)	23.40(H) x 23.40(V)	IPS	ST7789V3	SPI /MCU
23	1.32"	BF13215-01	No	360*360	35.98(H) x 38.54(V) x 1.56(T)	33.48φ (round)	IPS	GC9C01	QSPI
24		BF13224-01	No	360*360	35.98(H) x 38.54(V) x 1.56(T)	33.48φ (round)	IPS	GC9C01	SPI 4W
25	1.40"	BF1408-01	No	128*128	29.00(H) x 34.41(V) x 2.25(T)	25.50(H) x 26.50(V)	12 o'clock	ST7735S	SPI 4W
26		BF1414-01	No	128*128	29.00(H) x 34.41(V) x 2.25(T)	25.50(H) x 26.50(V)	12 o'clock	ST7735S	SPI 4W
27		BF1416-01	No	128*128	27.90(H) x 32.64(V) x 1.58(T)	25.50(H) x 26.50(V)	6 o'clock	GC9108	SPI 4W
28		BF1418-01	No	128*128	29.50(H) x 36.50(V) x 2.45(T)	25.50(H) x 26.50(V)	12 o'clock	ST7735S	SPI 4W
29		BF1430-01	No	240*240	29.10(H) x 30.85(V) x 1.58(T)	25.20(H) x 25.20(V)	IPS	ST7789V	SPI /MCU
30		BF1430-01C	Capacitive Touch Panel	240*240	33.84(H) x 40.71(V) x 2.96(T)	25.20(H) x 25.20(V)	IPS	ST7789V(CTP CST716)	SPI /MCU

31	1.45"	BF145P12-01	No	128*128	39.46(H) x 41.58(V) x 1.56(T)	36.96φ (round)	IPS	SPD2010	MIPI
32	1.54"	BF015P24-01	No	240*240	31.52(H) x 33.72(V) x 1.47(T)	27.72(H) x 27.70(V)	IPS	ST7789V	SPI /MCU
33		BF015P24-01A	No	240*240	31.52(H) x 33.72(V) x 1.65(T)	27.72(H) x 27.70(V)	IPS	ST7789V	SPI /MCU
34		BF15415-01	No	240*240	31.52(H) x 33.72(V) x 1.92(T)	27.72(H) x 27.70(V)	IPS	ST7789T3	SPI 4W
35		BF15415-01C	Capacitive Touch Panel	240*240	37.95(H) x 44.85(V) x 3.17(T)	27.72(H) x 27.70(V)	IPS	ST7789T3 (CTP CST816D)	SPI 4W
36		BF15415-02	No	240*240	31.52(H) x 33.72(V) x 1.60(T)	27.72(H) x 27.70(V)	IPS	ST7789V-G4	SPI 4W
37		BF15415-02C	Capacitive Touch Panel	240*240	37.97(H) x 44.92(V) x 2.60(T)	27.72(H) x 27.70(V)	IPS	ST7789V-G4 (CTP CST716)	SPI 4W
38	1.60"	BF1630-01	No	400*400	42.14(H) x 44.24(V) x 1.96(T)	39.84 φ (round)	IPS	ST7797	MIPI
39	1.70"	BF1724-01	No	240*280	30.07(H) x 37.43(V) x 1.60(T)	27.97(H) x 32.63(V)	IPS	JD9851	SPI 4W
40		BF1724-02	No	240*280	30.07(H) x 37.43(V) x 1.56(T)	27.97(H) x 32.63(V)	IPS	ST7789V2	SPI 4W
41	1.78"	BF17815-01	No	320*385	30.95(H) x 40.30(V) x 1.62(T)	28.85(H) x 34.70(V)	IPS	ST7796U	SPI 3W
42	1.80"	BF1810-01	No	128*160	34.70(H) x 46.70(V) x 2.25(T)	28.03(H) x 35.04(V)	12 o'clock	ST7735S	SPI 4W
43		BF1814-01	No	128*160	34.70(H) x 46.70(V) x 2.25(T)	28.03(H) x 35.04(V)	12 o'clock	ST7735S	SPI 4W
44		BF1820-01	No	128*160	34.70(H) x 46.70(V) x 2.25(T)	28.03(H) x 35.04(V)	6 o'clock	GC9107	MCU
45		BF1820-02	No	128*160	33.30(H) x 42.90(V) x 2.20(T)	28.03(H) x 35.04(V)	12 o'clock	ST7735P3	SPI / MCU
46		BF1820-03	No	128*160	34.70(H) x 46.70(V) x 2.25(T)	28.03(H) x 35.04(V)	6 o'clock	GC9107	MCU
47		BF1824-01	No	128*160	33.00(H) x 42.00(V) x 2.30(T)	28.03(H) x 35.04(V)	12 o'clock	GC9106	SPI / MCU
48	2.00"	BF2012-01	No	240*320	34.60(H) x 47.80(V) x 2.13(T)	30.60(H) x 40.80(V)	IPS	ST7789V2	SPI
49		BF2022-01	No	240*320	36.20(H) x 51.80(V) x 2.45(T)	30.60(H) x 40.80(V)	6 o'clock	ST7789V-G4	MCU
50		BF2022-02	No	240*320	34.60(H) x 47.80(V) x 1.90(T)	30.60(H) x 40.80(V)	IPS	ST7789V	MCU
51		BF2024-01	No	170*320	25.80(H) x 49.72(V) x 1.40(T)	22.67(H) x 42.72(V)	IPS	NV3030B	SPI 4W
52		BF2025-01	No	176*220	37.68(H) x 51.30(V) x 2.35(T)	31.68(H) x 39.60(V)	IPS	ST7775R	SPI
53	2.10"	BF2130-01	No	480*480	56.18(H) x 59.71(V) x 2.26(T)	53.28φ (round)	IPS	ST7701S	MIPI
54	2.20"	BF2214-01	No	240*320	38.50(H)x56.16(V)x2.30(T)	33.84(H) x 45.12(V)	12 o'clock	ILI9341V	SPI 4W
55		BF2214-02	No	240*320	38.04(H)x53.67(V)x2.50(T)	33.84(H) x 44.97(V)	6 o'clock	ILI9341V	SPI
56		BF2230-01	No	240*320	39.65(H)x56.65(V)x2.80(T)	33.84(H) x 45.12(V)	6 o'clock	ST7789V/ILI9341V	MCU
57		BF2236-01	No	176*220	41.70(H)x56.16(V)x2.30(T)	34.85(H) x 43.56(V)	12 o'clock	ILI9225G	MCU
58	2.30"	BF2317-01	No	320*240	51.00(H) x 45.80(V) x 2.30(T)	46.75(H) x 35.06(V)	12 o'clock	ILI9342C	SPI 4W
59		BF2327-01	No	320*240	51.80(H) x 45.80(V) x 2.30(T)	46.75(H) x 35.06(V)	12 o'clock	ILI9342C	MCU
60	2.40"	BF2410-01	No	240*320	42.72(H) x 60.26(V) x 2.30(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789VI	SPI 4W
61		BF2411-01	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	SPI 4W
62		BF2411-02	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	IPS	ST7789V	SPI 4W
63		BF2414-02R	Resistive Touch Panel	240*320	42.72(H) x 60.26(V) x 3.55(T)	36.72(H) x 48.96(V)	12 o'clock	ILI9341V	SPI
64		BF2416-01	No	240*320	42.72(H) x 60.26(V) x 2.40(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789T3	SPI 4W
65		BF2416-01L	No	240*320	57.80(H) x 91.80(V) x 3.55(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789T3	SPI 4W
66		BF2418-01	No	240*320	42.72(H) x 60.26(V) x 2.40(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	SPI
67		BF2424-01	No	240*320	42.72(W) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	IPS	ST7789V-G4	MCU Parallel 16 BIT
68		BF2424-02	No	240*320	40.44(W) x 57.00(V) x 2.10(T)	36.72(H) x 48.96(V)	IPS	ST7789V2	MCU 8BIT
69		BF2425-01	No	240*320	42.72(H) x 58.46(V) x 2.25(T)	36.72(H) x 48.96(V)	6 o'clock	GC9306N	SPI

70		BF2430-01	No	480*640	42.72(W) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	IPS	GC9503	MIPI
71		BF2437-01R	Resistive Touch Panel	240*320	42.72(H) x 60.26(V) x 3.60(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	MCU 8BIT
72		BF2437-02	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	MCU 8BIT
73		BF2440-01	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	ILI9341V	MCU
74	2.40"	BF2440-01A	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	ILI9341V	MCU
75		BF2440-02	No	240*320	42.72(H) x 60.26(V) x 2.20(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789V	MCU
76		BF2440-03	No	240*320	40.58(H) x 56.96(V) x 1.10(T)	36.72(H) x 48.96(V)	12 o'clock	ST7789Vi	MCU
77		BF2440-04R	Resistive Touch Panel	240*320	42.72(H) x 60.20(V) x 3.55(T)	36.72(H) x 48.96(V)	IPS	ILI9341V	MCU
78	2.45"	BF24530-01	No	272*480	34.24(H) x 60.42(V) x 2.04(T)	36.19(H) x 53.28(V)	IPS	ST77903-G5	RGB
79	2.47"	BF24735-01	No	480*480	69.19(H) x 71.74(V) x 2.45(T)	62.64φ (round)	IPS	HX8379-C	MIPI
80	2.60"	BF2637-01	No	240*320	46.00(H) x 64.00(V) x 2.25(T)	39.60(H) x 52.80(V)	12 o'clock	ILI9325C	MCU
81	2.70"	BF2740-01	No	960*240	39.10(H) x 67.50(V) x 2.43(T)	33.06(H) x 58.80(V)	3 o'clock	ILI8961	SPI/RGB
82		BF2818-01	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V3	SPI 4W
83		BF2818-01P	No	240*320	50.00(H) x 86.00(V) x 6.00(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V3	SPI 4W
84		BF2830-01	No	240*320	49.90(H) x 66.10(V) x 2.40(T)	43.20(H) x 57.60(V)	IPS	ST7789V2-G4-A	MCU
85		BF2830-02	No	240*320	50.00(H) x 69.20(V) x 2.25(T)	43.20(H) x 57.50(V)	IPS	ST7789	MCU
86		BF2830-03	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	MCU
87		BF2830-03C	Capacitive Touch Panel	240*320	55.50(H) x 81.60(V) x 3.93(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	MCU
88		BF2830-04	No	240*320	46.30(H) x 65.05(V) x 2.15(T)	43.20(H) x 57.60(V)	IPS	ST7789P3	MCU
89		BF2830-04C	Capacitive Touch Panel	240*320	53.70(H) x 72.20(V) x 3.60(T)	43.20(H) x 57.60(V)	IPS	ST7789P3	MCU
90		BF2835-01	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	SPI/MCU
91	2.80"	BF2837-01	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V2	MCU
92		BF2840-01R	Resistive Touch Panel	240*320	50.00(H) x 69.20(V) x 3.65(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	SPI/MCU
93		BF2840-03	No	480*480	73.37(H) x 76.82(V) x 2.20(T)	70.13 φ (round)	IPS	ST7701S	SPI 3W + 18RGB
94		BF2840-05	No	240*320	50.00(H) x 69.20(V) x 2.30(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V-G4	MCU 8/16BIT
95		BF2840-06	No	480*640	47.00(H) x 66.50(V) x 1.80(T)	43.20(H) x 57.60(V)	IPS	ST7701S	MIPI
96		BF2845-01	No	240*320	50.00(H) x 69.20(V) x 2.45(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V	MCU
97		BF2845-02CL	Capacitive Touch Panel	240*320	50.00(H) x 69.20(V) x 4.40(T)	43.20(H) x 57.60(V)	12 o'clock	ST7789V (CTP FT5346)	SPI/MCU
98		BF2850-01	No	240*320	50.00(H) x 69.20(V) x 2.30(T)	43.20(H) x 57.50(V)	IPS	ST7789V	SPI/MCU
99		BF2850-01R	Resistive Touch Panel	240*320	50.00(H) x 69.20(V) x 3.55(T)	43.20(H) x 57.50 (V)	IPS	ST7789V	SPI/MCU
100		BF2850-04	No	240*320	50.00(H) x 69.20(V) x 2.30(T)	43.20(H) x 57.60 (V)	12 o'clock	ST7789V-G4	SPI/MCU
101	2.86"	BF28640-01	No	376*960	31.20(H) x 76.60(V) x 2.15(T)	26.51(H) x 68.08 (V)	IPS	ST7701S	MIPI
102		BF3037-01	No	240*400	45.04(H) x 77.00(V) x 2.20(T)	39.24(H) x 65.40 (V)	IPS	R61509V	MCU
103	3.00"	BF3040-01	No	480*854	42.20(H) x 74.20(V) x 2.10(T)	36.72(H) x 65.28(V)	IPS	ST7701S	MIPI
104		BF3040-02	No	480*854	42.70(H) x 74.70(V) x 2.10(T)	36.72(H) x 65.28(V)	IPS	GV9503V	RGB
105		BF3040-03	No	480*854	42.70(H) x 74.70(V) x 2.10(T)	36.72(H) x 65.28(V)	IPS	ST7701S	RGB
106	3.10"	BF3112-01	No	376*960	31.10 (H) x 81.10 (V) x 2.37(T)	28.99(H) x 74.02(V)	IPS	ST7701S	MIPI
107		BF3112-02	No	376*960	31.10 (H) x 81.10 (V) x 2.37(T)	28.99(H) x 74.02(V)	IPS	NV3049E	MIPI

108	3.20"	BF3212-01	No	240*320	52.28 (H) x 72.50 (V) x 2.35(T)	47.88(H) x 63.84(V)	9 o'clock	ST7789V	SPI 4W
109		BF3218-01	No	240*320	52.80 (H) x 75.00 (V) x 2.50(T)	47.88(H) x 63.84(V)	12 o'clock	ST7789V2	SPI 4W
110		BF3220-01	No	240*320	55.04(H) x 77.70(V) x 2.50(T)	48.60(H) x 64.80(V)	12 o'clock	ST7789V3	SPI 4W
111		BF3225-01	No	240*320	52.80(H) x 75.00(V) x 2.50(T)	47.88(H) x 63.84(V)	9 o'clock	ST7785M	MIPI
112		BF3232-01	No	240*320	55.04(H) x 77.70(V) x 3.76(T)	48.60(H) x 64.80(V)	12 o'clock	ILI9341V	MCU
113	3.40"	BF3430-01	No	412*960	36.54(H) x 85.87(V) x 1.48(T)	33.99(H) x 79.20(V)	IPS	ST7701S	RGB
114		BF3440-01	No	800*800	94.90(H) x 96.95(V) x 2.26(T)	87.60 φ (round)	IPS	NV3052CGRB	RGB
115	3.50"	BF3516-01	No	320*480	54.66(H) x 82.94(V) x 2.15(T)	48.96(H) x 73.44(V)	12 o'clock	ILI9488	MIPI
116		BF3524-01	No	240*320	54.50(H) x 83.00(V) x 2.15(T)	51.27(H) x 68.36(V)	IPS	GC9307N	MCU
117		BF3524-02	No	320*480	54.50(H) x 83.05(V) x 2.15(T)	48.96(H) x 73.44(V)	IPS	ST7796U	MCU 8BIT / SPI 4W
118		BF3539-01	No	320*480	54.50(H) x 83.05(V) x 2.15(T)	48.96(H) x 73.44(V)	IPS	ST7796U	MCU
119		BF3540-01R	Resistive Touch Panel	320*480	54.48(H) x 84.71(V) x 3.20(T)	48.96(H) x 73.44(V)	12 o'clock	ILI9488	SPI/MCU
120		BF3540-01C	Capacitive Touch Panel	320*480	54.46(H) x 82.94(V) x 2.82(T)	48.96(H) x 73.44(V)	IPS	ST7796U	SPI/MCU
121		BF3540-02	No	320*480	54.48(H) x 82.94(V) x 2.25(T)	48.96(H) x 73.44(V)	12 o'clock	ILI9488	SPI/MCU
122		BF3540-03	No	320*480	54.50(H) x 83.05(V) x 2.15(T)	48.96(H) x 73.44(V)	IPS	ST7365P	MCU
123		BF3540-04	No	320*480	54.48(H) x 84.71(V) x 2.00(T)	48.96(H) x 73.44(V)	12 o'clock	ILI9488	SPI/MCU
124		BF3540-05	No	320*480	54.46(H) x 82.94(V) x 2.32(T)	48.96(H) x 73.44(V)	IPS	ST7796U	SPI/MCU
125		BF3540-05C	Capacitive Touch Panel	320*480	60.50(H) x 92.00(V) x 3.74(T)	48.96(H) x 73.44(V)	IPS	ST7796U	SPI/MCU
126		BF3554-01	No	320*240	76.90(H) x 63.90(V) x 3.20(T)	70.08(H) x 52.56(V)	IPS	ST7272A	RGB
127		BF3554-01R	Resistive Touch Panel	320*240	76.90(H) x 63.90(V) x 4.40(T)	70.08(H) x 52.56(V)	IPS	ST7272A	RGB
128		BF3554-02	No	320*240	76.84(H) x 63.84(V) x 3.32(T)	70.08(H) x 52.56(V)	12 o'clock	HX8238D	RGB
129		3.60"	BF3630-01	No	544*506	95.46(H) x 91.81(V) x 2.30(T)	89.76(H) x 83.49(V)	IPS	ST72566
130	BF3630-02		No	544*506	95.46(H) x 91.81(V) x 2.30(T)	89.76(H) x 83.49(V)	IPS	ST72566	LVDS
131	BF3640-01		No	544*506	98.88(H) x 94.12(V) x 7.70(T)	89.76(H) x 83.49(V)	IPS	ST72566	RGB
132	4.00"	BF4039-01	No	720*720	110.00(H) x 113.49(V) x 7.80(T)	101.52 φ (round)	IPS	ICNL9707	MIPI
133		BF4040-01	No	480*800	56.34(H) x 95.70(V) x 2.20(T)	51.84(H) x 86.40(V)	12 o'clock	ST7701	MCU 16BIT
134		BF4040-02	No	480*800	56.74(H) x 97.00(V) x 2.00(T)	51.84(H) x 86.40(V)	IPS	ST7701	/
135		BF4040-03	No	480*800	55.44(H) x 96.17(V) x 2.30(T)	51.84(H) x 86.40(V)	IPS	GC9503CV	MIPI
136		BF4040-04	No	480*800	56.34(H) x 95.70(V) x 2.10(T)	51.84(H) x 86.40(V)	12 o'clock	ILI9806G	MCU
137		BF4040-05	No	480*800	56.74(H) x 97.00(V) x 2.00(T)	51.84(H) x 86.40(V)	IPS	ST7701	MCU
138		BF4040-06	No	480*480	74.66(H) x 76.54(V) x 2.14(T)	71.86(H) x 70.18(V)	IPS	ST7701S	RGB
139		BF4040-06L	No	480*480	84.00(H) x 84.00(V) x 3.09(T)	71.86(H) x 70.18(V)	IPS	ST7701S	RGB
140		BF4040-07C	Capacitive Touch Panel	480*480	83.40(H) x 83.40(V) x 3.60(T)	71.86(H) x 70.18(V)	IPS	GC9503	SPI/MCU
141	BF4040-08	No	480*480	74.66(H) x 76.54(V) x 2.14(T)	71.86(H) x 70.18(V)	IPS	ST7701S	SPI/MCU	
142	4.10"	BF4112-01	No	720*1280	54.50(H) x 98.91(V) x 1.65(T)	51.19(H) x 91.01(V)	IPS	ILI9881C	MIPI
143	4.30"	BF4340-01	No	480*272	105.50(H) x 67.20(V) x 2.85(T)	95.04(H) x 53.86(V)	6 o'clock	ST7282	RGB
144		BF4340-01R	Resistive Touch Panel	480*272	105.50(H) x 67.20(V) x 4.00(T)	95.04(H) x 53.86(V)	6 o'clock	ST7282	RGB
145		BF4340-02C	Capacitive Touch Panel	480*272	105.50(H) x 67.20(V) x 4.50(T)	95.04(H) x 53.86(V)	6 o'clock	ST7282	RGB
146		BF4340-03	No	480*272	105.40(H) x 67.10 (V) x 2.97(T)	95.04(H) x 53.86(V)	IPS	NV3047	RGB

147		BF4340-03R	Resistive Touch Panel	480*272	105.40(H) x 67.10 (V) x 4.12(T)	95.04(H) x 53.86(V)	IPS	NV3047	RGB
148		BF4340-04	No	480*272	105.40(H) x 67.10 (V) x 3.00(T)	95.04(H) x 53.86(V)	12 o'clock	ST7282 / ILI6485 / NV3047	RGB
149		BF4340-04A	No	480*272	105.40(H) x 67.10 (V) x 3.00(T)	95.04(H) x 53.86(V)	12 o'clock	ST7282 / ILI6485 / NV3047	RGB
150		BF4340-04L	No	480*272	115.00(H) x 84.00 (V) x 5.30(T)	95.04(H) x 53.86(V)	12 o'clock	ST7282 / ILI6485 / NV3047	RGB
151		BF4340-05C	Capacitive Touch Panel	480*272	105.40(H) x 67.10 (V) x 4.50(T)	95.04(H) x 53.86(V)	IPS	ST7262 / ST7283	RGB
152	4.30"	BF4340-06C	Capacitive Touch Panel	480*272	105.50(H) x 67.20 (V) x 4.45(T)	95.44(H) x 53.86(V)	6 o'clock	NV3047	RGB
153		BF4340-08	No	800*480	105.50(H) x 67.20 (V) x 3.00(T)	95.44(H) x 53.86(V)	IPS	ST7262	RGB
154		BF4340-08A	No	800*480	105.50(H) x 67.20 (V) x 3.00(T)	95.44(H) x 53.86(V)	IPS	ST7262	RGB
155		BF4340-08C	Capacitive Touch Panel	800*480	105.50(H) x 67.20 (V) x 4.35(T)	95.44(H) x 53.86(V)	IPS	ST7262	RGB
156		BF4340-10	No	480*272	105.40(H) x 67.10 (V) x 2.97(T)	95.04(H) x 53.86(V)	IPS	NV3047	RGB
157		BF4340-10R	Resistive Touch Panel	480*272	105.40(H) x 67.10 (V) x 4.12(T)	95.04(H) x 53.86(V)	IPS	NV3047	RGB
158		BF4340-11	No	480*800	60.05(H) x 102.50 (V) x 1.86(T)	56.16(H) x 93.60(V)	IPS	ST7701S	MIPI
159	4.45"	BF44540-01	No	480*854	60.00(H) x 109.00 (V) x 2.15(T)	55.44(H) x 98.64(V)	IPS	GC9503CV	MIPI
160	4.58"	BF45840-01	No	320*960	40.37(H) x 117.90 (V) x 2.08(T)	36.77(H) x 110.30(V)	IPS	ST7701S	SPI 3W + RGB 18BIT
161		BF5025-01C	Capacitive Touch Panel	720*1280	76.26(H) x 136.30(V) x 2.90(T)	61.78(H) x 109.82(V)	IPS	ILL9881C	MIPI
162		BF5035-01	No	720*1280	64.60(H) x 118.50(V) x 1.64(T)	61.78(H) x 110.42(V)	IPS	ILI9881C-04	MIPI
163		BF5035-01CL	Capacitive Touch Panel	720*1280	64.60(H) x 118.50(V) x 2.95(T)	61.78(H) x 110.42(V)	IPS	ILI9881C-04	MIPI
164		BF5039-01C	Capacitive Touch Panel	720*1280	72.30(H) x 126.50(V) x 2.87(T)	61.78(H) x 109.82(V)	IPS	GC9702	MIPI
165		BF5040-01	No	480*272	120.70(H) x 75.80(V) x 3.00 (T)	110.88(H) x 62.83(V)	6 o'clock	ILI6482	RGB
166		BF5040-02	No	480*960	59.76(H) x 120.63(V) x 2.01(T)	56.16(H) x 112.32(V)	IPS	GC9503VC	MIPI-DSI
167		BF5040-03	No	800*480	120.80(H) x 75.95(V) x 3.00(T)	108.00(H) x 64.80(V)	6 o'clock	ILI6122+ILI5960	RGB
168		BF5040-04	No	800*480	120.20(H) x 75.30(V) x 2.75(T)	108.00(H) x 64.80(V)	IPS	ST7262	RGB
169	5.00"	BF5040-05	No	800*480	120.70(H) x 75.80(V) x 2.80(T)	108.00(H) x 64.80(V)	IPS	ST72568	LVDS
170		BF5040-05C	Capacitive Touch Panel	800*480	120.70(H) x 75.80(V) x 4.50(T)	108.00(H) x 64.80(V)	IPS	ST72568	LVDS
171		BF5040-06	No	800*480	120.70(H) x 75.80(V) x 2.83(T)	108.00(H) x 64.80(V)	IPS	ST7262	RGB
172		BF5040-07	No	800*480	120.70(H) x 75.80(V) x 2.83(T)	108.00(H) x 64.80(V)	IPS	ST7262	RGB
173		BF5040-08R	Resistive Touch Panel	800*480	120.70(H) x 74.00(V) x 3.95(T)	108.00(H) x 64.80(V)	IPS	ST7262	RGB
174		BF5040-11	No	720*1280	66.40(H) x 120.05(V) x 1.67(T)	61.78(H) x 109.82(V)	IPS	ILI9881C	MIPI
175		BF5040-12	No	480*854	66.40(H) x 120.05(V) x 2.10(T)	61.56(H) x 109.50(V)	IPS	ST7701S	MIPI
176		BF5050-01	No	1080*1080	132.21(H) x 136.53(V) x 1.98(T)	127.01 ϕ (round)	IPS	HX8399C	MIPI
177		BF5050-02	No	800*480	121.05(H) x 78.95(V) x 7.30(T)	108.00(H) x 64.80(V)	IPS	ST7265	RGB
178		BF5524-01	No	720*1280	128.62(H) x 70.82(V) x 1.88(T)	68.04(H) x 120.96(V)	IPS	ST7703	MIPI
179	5.50"	BF5534-01	No	1080*1920	70.65(H) x 129.20(V) x 1.52(T)	68.04(H) x 120.96(V)	IPS	HX8399A	MIPI
180		BF5539-01	No	720*1280	71.04(H) x 129.56(V) x 1.63(T)	67.93(H) x 120.77(V)	IPS	ILI9881C	LVDS
181	5.60"	BF5650-01	No	640*480	126.50(H) x 100.00(V) x 5.70(T)	112.90(H) x 84.67(V)	12 o'clock	ILI6192A-01&ILI5481A	RGB
182	5.70"	BF5730-01	No	720*1440	67.22(H) x 136.40(V) x 1.44(T)	64.80(H) x 129.60(V)	IPS	FT8006S	MIPI
183	6.10"	BF6140-01	No	280*1424	35.39(H) x 168.81(V) x 8.00(T)	29.99(H) x 152.51(V)	IPS	ST7703i	MIPI
184	6.20"	BF6240-01	No	1024*600	155.20(H) x 88.20(V) x 4.80(T)	137.48(H) x 77.23(V)	IPS	JD9168	MIPI
185	6.70"	BF6740-01	No	1024*500	161.41(H) x 80.66(V) x 6.40(T)	154.21(H) x 70.50(V) (ellipse)	IPS	JD9168	LVDS

186	6.75"	BF67530-01	No	1024*600	163.00(H) x 91.00(V) x 4.70(T)	151.76(H) x 79.80(V)	IPS	JD9168	MIPI
187		BF67540-01	No	1024*600	163.00(H) x 91.00(V) x 4.70(T)	151.76(H) x 79.80(V)	IPS	JD9168	LVDS
188	6.86"	BF68640-01	No	440*1280	66.41(H) x 177.19 (V) x 4.55(T)	60.22(H) x 160.59(V)	IPS	HX8394F	MIPI
189		BF68640-01C	Capacitive Touch Panel	440*1280	66.41(H) x 177.19 (V) x 5.93(T)	60.22(H) x 160.59(V)	IPS	HX8394+GT911	MIPI
190	6.86"	BF68640-03	No	480*1280	66.70(H) x 181.00 (V) x 4.50(T)	60.19(H) x 160.51(V)	IPS	NV3051F1	MIPI
191		BF68640-04	No	480*1280	66.70(H) x 181.00 (V) x 4.70(T)	60.22(H) x 160.59(V)	IPS	ICN9707	MIPI
192	6.90"	BF6940-01	No	280*1424	38.20(H) x 181.47(V) x 3.45(T)	33.60(H) x 170.88(V)	IPS	JD9365DA-H3	MIPI
193	7.00"	BF7026-01	No	1024*600	163.80(H) x 97.00(V) x 2.55(T)	154.21(H) x 85.92(V)	6 o'clock	EK79007AD+K73217BCGA	MIPI
194		BF7030-01	No	1024*600	164.90(H) x 100.00(V) x 3.10(T)	154.08(H) x 85.92(V)	IPS	EK79007AD+EK73217	MIPI
195		BF7030-02	No	1024*600	163.80(H) x 97.00(V) x 3.60(T)	154.21(H) x 85.92(V)	IPS	EK79007AD3 + EK7321BCGA	MIPI
196		BF7030-03	No	1024*600	164.90(H) x 100.00(V) x 5.50(T)	154.21(H) x 85.92(V)	6 o'clock	/	MIPI
197		BF7030-04C	Capacitive Touch Panel	1024*600	176.00(H) x 108.00(V) x 4.75(T)	154.21(H) x 85.92(V)	IPS	JD9165	MIPI
198		BF7030-05	No	1024*600	164.00(H) x 97.10(V) x 2.55(T)	154.21(H) x 85.92(V)	IPS	/	MIPI
199		BF7031-01	No	800*1280	99.8(H) x 152.32(V) x 2.60(T)	94.2(H) x 150.72(V)	IPS	ILI9881C	MIPI
200		BF7040-01	No	800*480	164.90(H) x 100.00(V) x 3.50(T)	153.84(H) x 85.63(V)	12 o'clock	EK9716BD4 + EK73002AB2	RGB
201		BF7040-01R	Resistive Touch Panel	800*480	164.90(H) x 100.00(V) x 4.90(T)	153.84(H) x 85.63(V)	12 o'clock	EK9716BD4 + EK73002AB2	RGB
202		BF7040-02	No	800*480	165.00(H) x 104.09(V) x 5.30(T)	154.40(H) x 91.44(V)	12 o'clock	HX8262 + HX8678	RGB
203		BF7040-03	No	800*480	164.90(H) x 100.00(V) x 3.30(T)	154.08(H) x 85.92(V)	6 o'clock	EK9713CA+EK73002	RGB
204		BF7040-04	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	153.60(H) x 90.00(V)	IPS	JD9165A	RGB
205		BF7040-05	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	153.60(H) x 90.00(V)	IPS	/	LVDS
206		BF7040-05C	Capacitive Touch Panel	1024*600	164.90(H) x 100.00(V) x 5.20(T)	153.60(H) x 90.00(V)	IPS	/	LVDS
207		BF7040-06	No	1024*600	164.00(H) x 97.00(V) x 3.50(T)	154.22(H) x 85.92(V)	IPS	HX8282+HX8696	RGB
208		BF7050-01	No	800*480	164.90(H) x 100.00(V) x 2.80(T)	153.84(H) x 85.63(V)	12 o'clock	EK9716BD4, EK73002AB2	RGB
209		BF7050-01R	Resistive Touch Panel	800*480	164.90(H) x 100.00(V) x 5.00(T)	153.84(H) x 85.63(V)	12 o'clock	EK9716BD4, EK73002AB2	RGB
210		BF7050-02	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB
211		BF7050-02C	Capacitive Touch Panel	1024*600	164.90(H) x 100.00(V) x 4.25(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB
212		BF7050-03	No	1024*600	164.90(H) x 100.00(V) x 2.80(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB
213		BF7050-03C	Capacitive Touch Panel	1024*600	164.90(H) x 100.00(V) x 4.25(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB
214		BF7050-04	No	1024*600	164.90(H) x 100.00(V) x 4.25(T)	154.08(H) x 85.92(V)	IPS	JD79001DCGB, JD73215BCGA	RGB
215		BF7050-05	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	154.21(H) x 85.92(V)	IPS	/	RGB
216		BF7050-05C	Capacitive Touch Panel	1024*600	164.90(H) x 100.00(V) x 5.10(T)	154.21(H) x 85.92(V)	IPS	/	RGB
217	BF7050-06	No	1024*600	164.90(H) x 100.00(V) x 3.50(T)	154.21(H) x 85.95(V)	IPS	/	RGB	
218	BF7050-07	No	800*480	164.90(H) x 100.00(V) x 5.00(T)	153.84(H) x 85.63(V)	6 o'clock	EK9716BD4, EK73002AB2	RGB	
219	8.00"	BF8031-01	No	800*1280	114.54 (H) x 184.04(V) x 2.70(T)	107.64(H) x 172.22(V)	IPS	/	MIPI
220		BF8040-01	No	1024*768	174.30(H) x 135.60(V) x 5.50(T)	162.05(H) x 121.54(V)	IPS	HW8282A02,HX8695	LVDS
221		BF8050-01	No	800*600	182.80(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	12 o'clock	HX8264D02, HX8696	RGB
222		BF8050-01A	No	800*600	182.90(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	12 o'clock	HX8264D02, HX8696	RGB
223		BF8050-01B	No	800*600	182.90(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	12 o'clock	HX8264D02, HX8696	RGB
224		BF8050-01D	No	800*600	182.80(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	IPS	JD9165	RGB

225	8.00"	BF8050-01E	No	800*600	182.80(H) x 141.00(V) x 5.50(T)	162.00(H) x 121.00(V)	IPS	JD9165	RGB
226		BF8050-02	No	800*480	192.80(H) x 116.90(V) x 6.40(T)	176.64(H) x 99.36(V)	12 o'clock	FH12A-50S-0.5H	RGB
227		BF8050-02R	Resistive Touch Panel	800*480	192.80(H) x 116.90(V) x 7.90(T)	176.64(H) x 99.36(V)	12 o'clock	FH12A-50S-0.5H	RGB
228		BF8050-04	No	800*480	192.80(H) x 116.90(V) x 6.40(T)	176.64(H) x 99.36(V)	12 o'clock	/	RGB
229	8.80"	BF8840-01	No	480*1920	64.30(H) x 231.30(V) x 4.80(T)	218.88(H) x 54.72(V)	IPS	/	MIPI
230	9.00"	BF9024-01	No	1024*600	210.70(H) x 126.30(V) x 3.40(T)	196.61(H) x 114.15(V)	IPS	EK79007AD2, EK73217BCGA	MIPI
231		BF9060-01	No	1024*600	210.70(H) x 126.40(V) x 5.00(T)	196.61(H) x 114.15(V)	IPS	/	LVDS
232	9.35"	BF93540-01	No	1280*320	246.15(H) x 64.48(V) x 7.15(T)	232.32(H) x 64.48(V)	IPS	AV096XHQ-N10	MIPI
233		BF93540-03	No	1280*320	246.15(H) x 64.48(V) x 7.15(T)	232.32(H) x 64.48(V)	IPS	AV096XHQ-N10	MIPI
234	10.1"	BF10131-01	No	800*1280	143.00(H) x 228.60(V) x 2.60(T)	135.36(H) x 215.58(V)	IPS	ILI9881C	MIPI
235		BF10140-02	No	1280*800	229.46(H) x 149.10(V) x 2.65(T)	216.96(H) x 135.60(V)	IPS	/	LVDS
236		BF10140-03	No	440*1920	64.98(H) x 266.39(V) x 7.25(T)	57.95(H) x 252.86(V)	IPS	ILI9881C	MIPI
237		BF10140-04	No	1280*800	228.30(H) x 149.05(V) x 2.60(T)	216.96(H) x 135.60(V)	IPS	EK79202B	LVDS
238		BF10140-05	No	1280*800	229.46(H) x 149.10(V) x 4.50(T)	216.96(H) x 135.60(V)	IPS	/	LVDS
239		BF10140-05C	Capacitive Touch Panel	1280*800	229.46(H) x 149.10(V) x 6.48(T)	216.96(H) x 135.60(V)	IPS	/	LVDS
240		BF10150-01	No	1024*600	235.00(H) x 143.00(V) x 5.00(T)	222.72(H) x 125.28(V)	IPS	HX8282A11, HX8696	RGB
241		BF10150-01A	No	1024*600	235.00(H) x 143.00(V) x 5.00(T)	222.72(H) x 125.28(V)	IPS	HX8282A11, HX8696	RGB
242		BF10150-02	No	1024*600	235.00(H) x 143.00(V) x 4.50(T)	222.72(H) x 125.28(V)	12 o'clock	/	RGB
243		BF10150-03	No	1024*600	235.00(H) x 143.00(V) x 4.50(T)	222.72(H) x 125.28(V)	IPS	/	RGB
244	10.4"	BF10430-01	No	1024*768	227.53 (H) x 175.80 (V) x 6.50 (T)	210.432 (H) x 157.824 (V)	IPS	/	LVDS
245		BF10430-02	No	1024*768	225.50(H) x 176.30(V) x 8.70(T)	210.4 (H) x 157.8 (V)	IPS	/	LVDS
246		BF10460-01	No	800*600	228.40(H) x 175.40(V) x 6.20(T)	211.20(H) x 158.40(V)	12 o'clock	HX8282, HX8696	RGB
247		BF10460-02R	Resistive Touch Panel	800*600	228.50(H) x 175.50(V) x 6.00(T)	211.20(H) x 158.40(V)	6 o'clock	S-HX8282-A02, G-HX8696-A01	RGB
248	12.1"	BF12120-01	No	1024*768	260.00(H) x 204.00(V) x 8.60(T)	245.76(H) x 184.32(V)	IPS	/	LVDS
249		BF12120-01C	Capacitive Touch Panel	1024*768	293.00(H) x 237.30(V) x 11.20(T)	245.76(H) x 184.32(V)	IPS	/	LVDS
250		BF12120-02	No	1024*768	260.00(H) x 204.00(V) x 8.70(T)	245.76(H) x 184.32(V)	IPS	/	/
251	12.3"	BF123P60-01	No	1920*720	307.00(H) x 126.00(V) x 7.20(T)	292.03(H) x 109.51(V)	IPS	HX8290-A-LT, HX8695-E-LT	/
252		BF12350-01	No	1920*720	308.10(H) x 130.00(V) x 7.55(T)	292.03(H) x 109.51(V)	IPS	/	LVDS
253	15.0"	BF15020-01	No	1024*768	326.50(H) x 253.50(V) x 11.80 (T)	304.13(H) x 228.10(V)	12 o'clock	/	LVDS
254		BF15020-02	No	1024*768	310.13(H) x 237.80(V) x 1.27 (T)	304.13(H) x 228.10(V)	IPS	/	LVDS
255		BF15020-02C	Capacitive Touch Panel	1024*768	390.00(H) x 315.00(V) x 11.90 (T)	304.13(H) x 228.10(V)	IPS	/	LVDS
256	15.6"	BF15630-01	No	1920*1080	326.50(H) x 213.70(V) x 1.06(T)	344.16(H) x 193.59(V)	IPS	/	EDP
257	21.5"	BF215030-01C	Capacitive Touch Panel	1920*1080	515.55(H) x 312.96(V) x 11.00(T)	476.05(H) x 267.79(V)	IPS	/	LVDS